

BHMRC/BMW/AR / 2022

Date: 08.06.2023

To

The Member Secretary,
Delhi Pollution Control Committee,
4th Floor ISBT Building,
Kashmiri Gate,
New Delhi - 110006


Sub: Annual Report of Biomedical Waste 2022

Sir,

Please find enclosed the Annual Report of Biomedical Waste generated in Batra Hospital & Medical Research Centre from 1st January 2022 to 31st December 2022 in the prescribed form with Annexures.

Thanking you,

Yours sincerely,



Dr. Amiya Verma
Medical Superintendent

List of Annexures:

1. PAN Card of the Hospital
2. Aadhar Card of Medical Superintendent
3. Biomedical Waste Authorization
4. Consent Order
5. Hospital Registration & applied for renewal documents
6. Biomedical Waste Data of 2022
7. MOU with outsourced agency (Biotic Waste Solution Pvt. Ltd.)
8. Minutes of the BMW Management Committee
9. Training Records on Biomedical Waste
10. Details of Needle Stick Injuries and Blood & Body Fluid Exposures

ANNUAL REPORT FOR THE YEAR 2022

(1st January 2022 to 31st December 2022)

Batra Hospital & Medical Research Centre, New Delhi

Sl. No.	Particulars	Details
1.	Particulars of the Occupier	:
	(i) Name of the authorised person (occupier or operator of facility)	: Dr. Amiya Kumar Verma, Medical Superintendent
	(ii) Name of HCF or CBMWTF	: Batra Hospital & Medical Research Centre
	(iii) Address for Correspondence	: 1, Tughlakabad Institutional Area, M.B. Road, New Delhi- 110 062
	(iv) Address of Facility	: 1, Tughlakabad Institutional Area, M.B. Road, New Delhi- 110 062
	(v) Tel. No, Fax. No	: Tel: 011 – 29902034
	(vi) E-mail ID Mobile No. PAN No. (Of Income Tax Dept) of the HCU	: md_mdoffice@batrahospitaldelhi.org amiya.verma@batrahospitaldelhi.org Mob: 9891081768 AAATC1551C (Annexure-1)
	(vii) URL of Website Applicant UID No. (Aadhar No.)	: www.batrahospitaldelhi.org Aadhar No. :594853232943 (Annexure-2)
	(viii) GPS coordinates of HCF or CBMWTF	: 28.49 ^o North 77.24 ^o East
	(ix) Ownership of HCF or CBMWTF	: Private run by public charitable trust
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: DPCC/BMW/AUTH/2019/OLD/32/21131 Valid upto: 25.06.2023 (Annexure-3)
	(xi). Status of Consents under Water Act and Air Act	: Consent order no. DPCC/BMW/21132 Valid up to: 22.09.2024 (Annexure-4)
2.	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: 500
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: NA
	(iii) License number and its date of expiry	: Reg. No./ DHS / NH/111 Valid upto:31.03.2023 (Annexure-5) Applied for renewal

3.	Details of CBMWTF	:																																													
	(i) Number healthcare facilities covered by CBMWTF	:	NA																																												
	(ii) No of beds covered by CBMWTF	:	NA																																												
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA																																												
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA																																												
4.	Quantity of waste generated or disposed inKg per annum (on monthly average basis)	:	<p>Yellow Category : 42231.886 (Annexure-6)</p> <p>Red Category : 59993.02</p> <p>White: 1171.62</p> <p>Blue Category : 15932.02</p> <p>General Solid waste: 77341 Kg</p>																																												
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																														
	(i) Details of the on-site storage facility	:	<p>Size: 18x10.3x7.5=1471.50 cubic ft. 14.9x5x10=745 cubic ft.</p> <p>Capacity: Total 2216.50 cubic ft</p> <p>Provision of on-site storage: Ventilated and secured rooms</p> <p>Any other provision : ---</p>																																												
	disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No. of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>01</td> <td>180 Litre</td> <td>3346.496kg</td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td>-</td> <td>-</td> </tr> </tbody> </table>	Type of treatment equipment	No. of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves	01	180 Litre	3346.496kg	Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:		-	-
Type of treatment equipment	No. of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																												
Incinerators																																															
Plasma Pyrolysis																																															
Autoclaves	01	180 Litre	3346.496kg																																												
Microwave																																															
Hydroclave																																															
Shredder																																															
Needle tip cutter or destroyer																																															
Sharps encapsulation or concrete pit																																															
Deep burial pits:																																															
Chemical disinfection:		-	-																																												


		Any other treatment equipment:	- ETP	40KL/Day	9284 (Inlet) 8843 (Outlet)
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	NA		
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Quantity generated	Where disposed	
			Incineration Ash	NA	
				NA	
			ETP Sludge	274 Kg	CBMWTF
			STP	2581 Kg	CBMWTF
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Biotic Waste Solutions Pvt. Ltd. (Annexure-7) 46, SSI Industrial Area, GTK Road, Delhi - 110 033 Tel: 011 – 47528106, 7838747477 Email ID: info@bioticwastesolutions.com		
	(vii) List of member HCF not handed over bio-medical waste.	:	NA		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes, Minutes of the meeting attached. (Annexure-8)		
7	Details trainings conducted on BMW	:			
	(i) Number of trainings conducted on BMW Management.	:	94 (Annexure-9)		
	(ii) number of personnel trained	:	802		
	(iii) number of personnel trained at the time of induction	:	219		
	(iv) number of personnel not undergone any training so far	:	Nil		
	(v) whether standard manual for training is available?	:	Yes		
	(vi) any other information)	:	--		
8	Details of the accident occurred during the year				
	(i) Number of Accidents Occurred	:	Needle Stick Injury & Blood and Body fluid exposure (Annexure-10)		

	(ii) Number of the persons affected	:	(Annexure-10)
	(iii) Remedial Action taken (Please attach details if any)	:	Education and awareness done. One required post exposure prophylaxis. (Annexure-10)
	(iv) Any Fatality occurred, details.	:	NO
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	STP Inlet: 86532 KL STP Outlet: 85366 KL ETP Inlet: 9284 KL ETP Outlet: 8843 KL
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Standards of temperature and pressure of autoclave met with. Monitoring of autoclave with chemical indicators daily and biological indicator weekly is done. No failure of any cycle.
12.	Any other relevant information.	:	NA

Certified that the above report is for the period from 1st January 2022 to 31st December 2022.

Date: 08.06.2023

Place: **New Delhi**


Dr. Amiya Verma
Medical Superintendent

स्थायी लेखा संख्या /PERMANENT ACCOUNT NUMBER

AAATC1551C



नाम /NAME

**CH-AISHI-RAM-BATRA PUBLIC CHARITABLE TRUST
REGD.**

निगमन/बनने की तिथि /DATE OF INCORPORATION/FORMATION

27-01-1979

आयकर आयुक्त, अमृतसर

COMMISSIONER OF INCOME-TAX, AMRITSAR

इस कार्ड के खो / मिल जाने पर कृपया जारी करने
वाले प्राधिकारी को सूचित / वापस कर दें

आयकर आयुक्त,

आयकर भवन,

मकबूल रोड,

अमृतसर - 143 001.

In case this card is lost/foand,kindly inform/return to
the issuing authority :

Commissioner of Income-tax,

Aayakar Bhawan,

Maqbool Road,

Amritsar - 143 001.




भारत सरकार
 Government of India

Issue Date: 21/01/2012



अमिया कुमार वर्मा
Amiya Kumar Verma
 जन्म तिथि/DOB: 20/02/1980
 पुरुष/ MALE

5948 5323 2943
 VID : 9136 2429 2427 2448

मेरा **आधार**, मेरी पहचान




भारतीय विशिष्ट पहचान प्राधिकरण
 Unique Identification Authority of India

Download Date: 04/04/2022

पता:
 S/O ब्रामचारी विन्धेश्वर, डी-02 बत्रा हाउसिंग कॉम्प्लेक्स,
 बत्रा अस्पताल मेडिकल रिसर्च सेंटर, डॉ.अम्बेडकर नगर,
 दक्षिण दिल्ली,
 दिल्ली - 110062

Address:
 S/O Bramchari Vindheshwar, D-02 BATRA
 HOUSING COMPLEX, BATRA HOSPITAL
 MEDICAL RESEARCH CENTRE, Dr. Ambedkar
 Nagar, South Delhi,
 Delhi - 110062



5948 5323 2943
 VID : 9136 2429 2427 2448

1947 | help@uidai.gov.in | www.uidai.gov.in

Amiya Kumar Verma



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

10, Pusa Road, New Delhi, Delhi - 110006

Website: <http://www.dpcc.delhigovt.nic.in>

AUTHORISATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016

FORM III

(Authorization for operating a facility for Collection, Reception, Treatment, Storage, Transport and Disposal of Bio-Medical Wastes.)

File number of authorization DPCC/BMW/AUTH/2019/MD-32 | 21131

Dated: 03.01.2020

Application No 10730

(Authorization for operating a facility for generation, collection, reception, treatment storage, transport and disposal of Bio-Medical Wastes)

1. M/s Batra Hospital & Medical Research Centre an occupier of the facility located at 1, Tughlakabad Institutional Area, Mehrauli Badarpur Road, Delhi-110062 is hereby granted an authorization for **Generation, Segregation, Collection & Storage of Biomedical Waste and Transportation, Treatment & Disposal of Biomedical Waste through the concerned Common Biomedical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.**
2. Number of beds of HCF: 495
3. Quantity of Biomedical waste : 253.74/Kg/day
4. This authorization shall be in force for a period of **Five Years i.e. Valid upto 25.06.2023**
5. This authorization is subject to the conditions stated below* and to such other conditions as may be specified in the rules or the time being in force under the Environment (Protection) Act, 1986.

AJEETA D. AGRAWAL
Senior Environmental Engineer
Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building,
Kashmere Gate, New Delhi-110006

Signature: 
Designation: SEE, WMC-I


Note:-This offline authorization certificate shall be valid till issuance of online authorization bearing digital signature.

* Terms and conditions of authorization

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transport, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste daily to the authorized operator of a facility duly segregated, labeled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste within the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over on daily basis. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
9. In case the occupier is having a DG Set, he shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 and 12.07.2004, as amended to date, for the Diesel Generator Set(s). Stack height with the DG Set shall be as per the following formula, H is equal to h plus (0.2 X square root of KVA) where 'H' is Total Height of stack in meter, 'h' is Height of the building in meters where the Generator Set is installed and KVA is Total Generator capacity of the set in KVA).
10. The occupier shall also ensure proper collection and disposal of bio-medical waste containing mercury through the vendor authorize for the purpose. The occupier shall phase out mercury based equipment e.g. thermometers and B.P. Measuring Equipment.
11. The HCF shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.
12. The HCF is required to display the authorization at a prominent place in its premises so that the occupier can satisfy themselves.

13. This authorization is issued subject to the condition that the HCF is not having laundry facility in its premises and is discharging its entire wastewater into the public sewer of DJB/NDMC/DSHDC connecting to the Sewerage Treatment Plant (STP) of DJB/MDMC/DSHDC.
14. If the HCF is having laundry facility or not connected to the public sewer, the HCF is required to install requisite treatment system before its discharge and also obtain consent from Delhi Pollution Control Committee under the provisions of Water Act, 1974 & Air Act, 1981.
15. The HCF shall phase out use of chlorinated plastic bags & gloves etc. by 27th March, 2019 as per Notification dated 16th March, 2018 published by MOEF&CC.
16. The HCF shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises for the further treatment & disposal in accordance with the guidelines issued by CPCB by 27th March, 2019.
17. The HCF shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other generated effluent from HCF, if any.
18. The HCF shall immunize all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis-B & Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health & Family Welfare issued from time to time.
19. The HCF shall ensure occupational safety of all its health care workers & others involved in handling of bio-medical waste by providing appropriate & adequate personal protective equipment.
20. The HCF shall conduct health check-up at the time of induction & at least once in a year for all its health care workers & others involved in handling of bio-medical waste & shall maintain records for the same.
21. All the HCF shall make own website by 15th March, 2020 and shall make available the annual report on its website.
22. The HCF shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction & thereafter at regular intervals & the details of training programmes conducted, number of personnel trained & number of personnel not undergone any training shall be provided in the Annual Report.
23. The occupier shall submit the Annual Report in Form-IV by 30th June every year, including information about the categories and quantities of bio-medical waste generated from 1st January to 31st December of the preceding year.
24. The occupier shall submit the copy of fresh valid agreement to this office within 15 days of expiry of previous agreement or in case of any change.
25. Submission of false information shall make the authorization liable for cancellation without any notice.
26. The occupier shall apply for renewal of authorization under the aforementioned Rules before one month of the expiry of this authorization.
27. The applicant shall apply for fresh Authorization in case of any change in the activity/number of beds etc.
28. In case of violation of any of above said conditions, penal action will be initiated against the HCF including withdrawal of authorization/consent etc.
29. In case of failure to comply with any of the above conditions and / or with any provision of the Act or of these Rules, authorization issued to the Occupier may be suspended or cancelled as per the provisions under sub-rule 10 (2) of Bio-Medical Waste Management Rules, 2016, as amended to date.

This offline certificate is being issued as per the approval of Competent Authority.

Signature: 

Designation: EE/ AEE, WMC-I

D. K. SRIVASTAVA
Assistant Environmental Engineer
Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building,
Kashmere Gate, New Delhi-110006

To

M/s Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area,
Mehrauli Badarpur Road



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

CONSENT ORDER

DPCC/BMW | 2132
3/1/20


Name of the unit	:	Batra Hospital and Medical Research Centre
Address	:	1 Tughlakabad Institutional Area
Consent Order No	:	DPCC/BMW/2019/
Date of issue	:	02.01.2019
Product/Activity	:	Health Care Establishments having bed strength above 50 beds, and connected or not connected to Sewer and without boiler
Manufacturing Activities	:	HEALTH CARE FACILITY

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 104453 valid from 23.09.2019 to 22.09.2024.**

Prescribed standards

pH = 6.5-9, Total Suspended Solids (TSS) < 100 mg/l, Oil and Greases=10, Bio-chemical oxygen demand (3days at 27°C)= 30 mg/l, Bio assay test (percent survival of fish after 96 hours in 100 percent effluent) = 90-100%, COD < 250 mg/l

All effluent parameters are in mg/l except pH & Bio-assay test value



Senior Environmental Engineer

AJEETA D. AGRAWAL
Senior Environmental Engineer
Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building,
Kashmere Gate, New Delhi-110006

Terms and Conditions

1. The Consent is Activity specific and based on the information provided in the consent application alongwith the documents/subsequent documents/ information submitted to Delhi Pollution Control Committee(DPCC) .The Consentee shall apply for fresh consent in case of any change in the activity/manufacturing process.
2. The Consentee shall display the Name of the unit alongwith its Address , name of the Proprietor /Directors/ Partners etc, Contact Phone No(s) and its Activities /Processes/ Products etc, on a Display Board to be placed / fixed at the main gate of the unit.
3. The Consentee / unit shall have / take separate Electricity / Power Connection in its name and shall have /install separate meter in this regard.
4. The Consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system / sewerage system of the area leading to Common Effluent Treatment Plant of the Industrial Area / Sewage Treatment Plant of the catchment area.
5. The Consentee shall obtain permission from Delhi Jal Board, for ground water extraction, if any, as per the various orders/Notifications of Govt. of NCT of Delhi.
6. In case the unit is located in the industrial area where Common Effluent Treatment Plant (CETP) has been provided ,the Consentee shall make regular payment of its share for the operation and maintenance of CETP to the concerned CETP Society as per the Delhi Common Effluent Treatment Plants Act, 2000, as amended to date.
7. The Consentee shall ensure proper channelization / control system for fugitive emissions generated from the various activities / processes of the unit and maintain good house keeping practices so as to maintain clean and safe environment in and around the premises of the unit.
8. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date.Stack Height for sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following
 - (i) Minimum 6 meter above the building where generator set is installed
 - (ii) 30 meter
 - (iii) $14Q_0.3(Q_0 - \text{Total SO}_2 \text{ emission from the plant in kg/hr})$ and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2KVA$ (H- Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
9. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules,2001,as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler / Reprocessor /Authorized Agencies for such wastes, authorized by MOEF/ Central Pollution Control Board/ State Pollution Control Board/Committee/DPCC as per details available on their websites.
10. The Consentee shall comply the other prescribed standards of Effluent / Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made thereunder including the Noise Pollution(Regulation and Control) Rules, 2000,as amended to date.

11. The Consentee engaged in the mfg. of plastic product(s) and being accorded Consent to Establish (CTE) or Consent to Operate (CTO)/Renewal of consent shall provide hood and suction arrangement followed by duct raised at least 2 mts above roof level and submit compliance report while applying for CTO (for cases of CTE) or submit an affidavit within six months in other cases.
 12. The Consentee shall use only fresh raw material and the unit shall not burn iron sieve /screen(Jaali).
 13. The Consentee shall dispose of its industrial solid waste as per SWM rules 2016.
 14. The Consentee shall promote the use of LED and should create a system of replacing of old bulbs.
 15. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.
 16. Quantity of Effluent Discharge from the unit shall not exceed (i) Trade Effluent 5000 Litres/ Day (ii) Sewage / Domestic Effluent 5000 Litres/ Day.
 17. Capacity of the Diesel Generator Set (s) installed in the unit 1250 KVA, 1000 KVA, 500 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets .
 18. The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23-10-2012 including the directions that No person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non woven fabric type carry bags) in the whole of National Capital Territory of Delhi.
 19. The Consentee shall comply with orders of Honble National Green Tribunal dated 02.12.2016 in O.A. No. 281 of 2016 in the matter of Kudrat Sandhu Vs Govt. of NCT & Ors regarding Solid Waste management System at source for Proper segregation and disposal of biodegradable, non-biodegradable & Ors. You shall not use/ store/ sale any kind of disposable plastic glasses/ plates etc.
 20. The Consentee shall comply with the provisions of Plastic Rules,2016 if applicable and shall submit the certificate of registration from Department of COL, GNCTD within 30 days of the issuance of this consent order.
 21. The Consentee shall switch over its fuel to PNG fuel(whenever the PNG fuel pipeline supplied by IGL) with immediate effect and submit the compliance report within 30 days of issuance of this consent order.
 22. The Consentee shall submit application for renewal of the Consent, one month in advance of the expiry date of this Consent Order. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
- Not with standing anything contained in this consent order, Delhi Pollution Control Committee , reserves its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee/unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi. This issue as per the decision taken in the BMW committee no. 2 in its meeting dated 06.12.2019.



Signature

EE/ A.E.E., WMC-1

2022/6/30 11:24

Assistant Environmental Engineer
Delhi Pollution Control Committee

DIRECTORATE OF HEALTH SERVICES
GOVERNMENT OF NCT OF DELHI
F-17, KARKARDOOMA, SHAHDARA, DELHI - 110032

Reg. No./DHS/NH/!!!.....


Dated : 22.10.2021

Registration Certificate

(Under Section 5 of Delhi Nursing Homes Registration Act, 1953)
For the Period 2020-23....

It is certified that Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M.B. Road, New Delhi-110062 with -500- beds
(Five Hundred)
is being run by Ch. Aishi Ram Batra Public Charitable Trust has been registered under
Delhi Nursing Homes Registration Act, 1953 and is authorized to carry out the permitted nursing home activities at
the above said premises.

This registration certificate is valid upto 31st March, 2023.....


Director Health Services
Govt. of NCT of Delhi

Office Copy



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE
OF CH. AISHI RAM BATRA PUBLIC CHARITABLE TRUST



H-2010-0051
05 Aug 2019 - 04 Aug 2022
Since Aug 5, 2010



To,

Date: 07.02.2023

Medical Superintendent
Nursing Home Cell
Directorate General of Health Services
Govt. of NCT of Delhi
3rd Floor, DGD Building,
School Block, Shakarpur,
New Delhi-110092

Sub: Regarding Renewal of Hospital Registration of Batra Hospital & Medical Research Centre, New Delhi

Sir,

Kindly find the application in the prescribed Form 'B' along with the Annexures for renewal of hospital registration of Batra Hospital & Medical Research Centre, 1, Tughlakabad Institutional Area, M.B. Road, New Delhi-110062 for the 2023-2026.

With regards,


Dr. Amiya Verma
Medical Superintendent

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Reg. No. NABH/01/10750

OFFICE COPY



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE
OF CH. AISHI RAM BATRA PUBLIC CHARITABLE TRUST



H 2010 0051

Date: 27.03.2023

To

Medical Superintendent
Nursing Home Cell
Directorate General of Health Services
Govt. of NCT of Delhi
3rd Floor, DGD Building,
School Block, Shakarpur,
New Delhi – 110092

Sub: Regarding Renewal of Registration of Batra Hospital & Medical Research Centre, New Delhi

Sir,

Reference to letter no. F.No. 24/111/SED/DGHS/NHC//2023-2026/548 dated 13.03.2023, please find enclosed the required documents pertaining to renewal of Hospital Registration of Batra Hospital & Medical Research Centre, 1, Tughlakabad Institutional Area, M.B. Road, New Delhi-110062.

You are requested to renew our hospital registration as soon as possible.

Yours Sincerely


Dr. Amiya Verma
Medical Superintendent

List of Annexures:

1. Details of Rs. 5,000/- paid to DGHS
2. Form-B
3. Authorization Letter
4. Affidavit
5. PAN Card
6. Partnership deed
7. Land and property documents
8. Previous Hospital Registration
9. Fire NOC
10. Layout Plan
11. Bifurcation of beds
12. RMO DMC and list and appointment letter
13. List of full time along with DMC certificate
14. Scope of Services
15. Agreement with Biotic Waste Solution for Collection of Biomedical Waste
16. Noise monitoring report
17. Consent under water (Prevention and Control of Pollution) Act.
18. MTP Certificate
19. PNDT Certificate
20. NABL Certificate
21. Pharmacy Certificates
22. Letter head
23. Tariff list

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758



OFFICE COPY



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE
OF CH. AISHI RAM BATRA PUBLIC CHARITABLE TRUST



H-2010-0051
05 Aug 2022 - 04 Aug 2026
Since Aug 5, 2010

To

Date: 31.03.2023

Medical Superintendent
Nursing Home Cell
Directorate General of Health Services
Govt. of NCT of Delhi
3rd Floor, DGD Building,
School Block, Shakarpur,
New Delhi – 110092

**Sub: Regarding Renewal of Registration of Batra Hospital & Medical Research Centre,
New Delhi**

Sir,

Reference to letter no. F.No. 24/111/SED/DGHS/NHC//2023-2026/548 dated 13.03.2023,
please find enclosed the other required documents pertaining to renewal of Hospital Registration
of Batra Hospital & Medical Research Centre, 1, Tughlakabad Institutional Area, M.B. Road, New
Delhi-110062.

You are requested to renew our hospital registration as soon as possible.

Yours Sincerely,


Dr. Amiya Verma
Medical Superintendent


Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

List of Annexures:

1. Lease Deed (EWS)
2. List of RMO posted in ICU with appointment letters
3. List of RMO posted in WARDS with appointment letters
4. List of Nurses for Ventilator ICU
5. List of Nurses for ICU
6. List of Nurses for WARDS
7. Bifurcation of Beds
8. Declaration



**BATRA HOSPITAL & MEDICAL RESEARCH CENTRE**1, Tughlakabad Institutional Area, Mehrauli Badarpur Road,
New Delhi – 110 062 Phone: 29958747**BMW Yearly Summary (2022)**

Month									Total Bags		Occupancy	BMW Average Per Bed
	Yellow Bags		Red Bags		Blue Bags		Cytotoxic Waste	Sharp Container	Nos.	Wt. (In Kg)		
	Nos.	Wt. (In Kg)	Nos.	Wt. (In Kg)	Nos.	Wt. (In Kg)						
January	918	3208.787	928	5079.62	330	1065.77	84.035	78.71	2289	9516.917	4240	2.24
February	825	3118.254	814	4504.082	350	1147.45	79.42	88.26	2125	8937.461	5107	1.75
March	927	3111.815	915	4551.55	373	1332.02	87.04	110.03	2381	9192.45	5557	1.65
April	913	3190.345	895	4620.835	376	1286.63	82.51	96.765	2320	9277.08	5478	1.69
May	927	3457.9	925	4822.21	375	1409.89	90.735	114.41	2367	9895.14	5933	1.67
June	931	3362.43	917	4971.07	348	1297.87	94.695	97.035	2383	9823.105	6036	1.63
July	1039	3572.93	954	5005.535	347	1419.99	104.235	96.425	2406	10199.12	6166	1.65
August	1030	3616.84	944	5463.091	380	1460.99	108.055	101.993	2535	10750.97	6596	1.63
September	956	3646.68	926	5280.872	365	1424.8	98.74	95.095	2368	10546.19	6904	1.53
October	925	3517.65	900	4994.24	327	1268.5	88.29	92.56	2277	9961.245	6144	1.62
November	922	3589.27	905	5434.93	348	1480.22	105.485	95.21	2302	10705.12	7031	1.52
December	945	3706.9	915	5264.98	475	1337.93	108.845	105.13	2334	10523.79	6203	1.70
TOTAL	11258	41099.8	10938	59993.02	4394	15932	1132.085	1171.623	28087	119328.6	71395	1.67
AVG/ MONTH	938.17	3424.98	911.50	4999.42	366.17	1327.67	94.34	97.64	2340.58	9944.05	5949.58	1.67
AVG/DAY	30.84	112.60	29.97	164.36	12.04	43.65	3.10	3.21	76.95	326.93	195.60	1.67



सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

₹10

e-Stamp

Certificate No. : IN-DL35583340047508U
Certificate Issued Date : 22-Dec-2022 03:51 PM
Account Reference : IMPACC (IV)/ d1710803/ DELHI/ DL-DLH
Unique Doc. Reference : SUBIN-DL71080345264710715132U
Purchased by : BIOTIC WASTE SOLUTIONS PVT LTD
Description of Document : Article 5 General Agreement
Property Description : Not Applicable
Consideration Price (Rs.) : 0
(Zero)
First Party : BIOTIC WASTE SOLUTIONS PVT LTD
Second Party : Not Applicable
Stamp Duty Paid By : BIOTIC WASTE SOLUTIONS PVT LTD
Stamp Duty Amount(Rs.) : 10
(Ten only)

सत्यमेव जयते



₹10

Please write or type below this line

Unique ID:2141

Agreement No:

This agreement is made and executed at New Delhi on 1-Jan-23.



Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at 'www.sholestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

OK
Babubant
Chaudhary

Dr. Rajesh Garg
MEDICAL DIRECTOR
Senior Director Neurology
Batra Hospital & Medical Research Centre
1, Tagore Park, Connaught Place, M. B. Road
New Delhi - 110092
DMC No. 17830



+91-11-47528106 / 07
+91-9560896389



info@biotic.co.in
www.biotic.co.in



46-47, SSI Industrial Area,
G.T. Karnal Road, Delhi-110033

BY AND BETWEEN

BIOTIC WASTE SOLUTIONS PVT. LTD., having its office at 46-47, SSI Industrial Area, G.T. Karnal Road, Delhi-110033 (For short hereinafter referred to as 'Service Provider /Operator' or "The First Party") through its Mr. Ankit Gupta, Marketing Head, duly authorized to enter into and sign this agreement for and on behalf of the Service Provider of the ONE PART.

AND

Batra Hospital & Medical Research - 2141 having its operating office at 1, Tuglakabad Institutional Area, Near Saket Metro Station, Mehrauli Badarpur Road Tuglakabad, Delhi - 110044, State - DELHI, PIN - 110044 (For Short hereinafter referred to as "Occupier/HCF" or The Second Party) through its Medical Director Dr./Ms./Mr _____ the OTHER PART.

The expression of both the parties shall mean and include the parties, their respective legal heirs, successors, legal representatives, administrators, executors and assignees.


Whereas the Service Provider has been duly authorized by the Delhi Pollution Control Committee (DPCC) under Rule of 10 of the Bio-Medical Waste Management Rules 2016 for operating and providing facility for the Collection, Reception, Treatment, Storage, Transportation and disposal of the Bio- Medical Waste.

And whereas the Occupier in compliance of the Bio-Medical Waste Management Rules, 2016 desires to engage the Service Provider for rendering services towards disposal of their Bio-Medical Waste (except liquid bio-medical waste) for which the Service Provider is an authorized facility under DPCC and accordingly, after discussions and due negotiations taken place, both the parties are agreed to enter into this agreement on the terms and conditions narrated herein after:

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed to by both parties to the present agreement.

1. That the Occupier will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points as per guidelines of Bio-Medical Waste Management Rules 2016 and keep the said packed waste ready for collection by the staff of the Service Provider. The Service Provider will not collect any Bio-Medical waste which is not properly segregated and packed in accordance with guidelines of Bio-Medical Waste Management Rules 2016. The record of the collected waste shall be maintained by the Occupier with the acknowledgement signatures of the collection staff of the Service Provider to submit the Annual Report to the concerned Pollution Board in the prescribed format.

2. That the Occupier will deposit a refundable interest free security amount of Rs. 0 (Refundable Security Deposit) against the BMW disposal services and if the HCF is closed before expiration of agreement, the Service Provider will refund the balance amount after adjusting all the dues, if any, outstanding towards the Occupier.



[Signature]
Dr. Ansh Garg
MEDICAL DIRECTOR
Senior Director Neurology

Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
DMD No. 10510



Green Clean Process
Biotic follows all compliances under the Biomedical waste handling rules 2016. As experts in medical waste management, Biotic helps you stay in full compliance regarding the disposal of your regulated waste.


3. That the Service Provider will charge to the Occupier, being Hospital 50-500 Bedded as per the following schedule of rates:
- Minimum Disposal Charges of Rs.76578/- plus tax Monthly Arrear for Hospital 50-500 Bedded (495 Bedded facility) subject to a maximum collection of waste up to Monthly Waste Limit of 0 kg. Extra quantity of waste will be chargeable @ Rs 0 per kg. Any tax, if any, in force shall be borne by the Occupier upon the respective billings.
 - The Occupier shall pay one-time interest free non-refundable registration fees of Rs. 0.
 - The rates enumerated in clause 3(a) above may be varied at any given point of time due to hike in Fuel Price, Wages for Labour negotiation with any unanimous body at District or State level or any other factor which may affect the cost.
4. That the Occupier undertakes to make the payment through 'NEFT/Digital payment, Account Payee Cheque or Demand Draft' in favour of the BIOTIC WASTE SOLUTIONS PVT. LTD on or before 15th day of each successive month and thereafter the interest @ 18% for p.a. shall be charged by the Service Provider if the payment is not made within the stipulated period. In case, any payment made through cheque is rejected by bank due to reasons on part of Occupier, a cheque bounce fee of Rs. 500/- (Rupees Five Hundred) shall be charged from the Occupier.
5. (a) Notwithstanding the aforesaid terms, this agreement may be terminated by either party by giving 30 days written notice. However, this requirement of 30 days' notice shall not be applicable in the event the service charges are not paid by the Second Party as provided in Clause 3 & 4 of this agreement or upon the occurrence of any of events specified in Clause 5b (i) & (ii) in which case the service would be suspended/ terminated forthwith.
- (b) Notwithstanding the aforesaid terms and conditions:
- The Service Provider will be at liberty to discontinue this service to the Occupier in the event when the Occupier does not pay the service charges.
 - The Service Provider shall be at liberty to terminate this Agreement and discontinue Services to the Occupier in the event of the Non-Compliance of guidelines of the Bio-Medical Waste Management Rules 2016 during Segregation, Collection, Transportation and Disposal of the Bio- Medical Waste by the Occupier except due to the circumstances under force majeure clause and the circumstances beyond the control of the parties.
- (c) That upon expiry of the term or the earlier termination of this agreement, the accounts shall be settled, and the refundable interest free security deposit referred to in Clause 2 above shall be returned thereon to the Occupier.
6. That all the taxes, such as GST if applicable, shall be paid and borne by the Occupier. With reference to the notification no. 03/2022, Central Tax (Rate) published on 13th July 2022, GST shall be charged @ 12% for the clinical establishment and 18% for the non-clinical establishment entities.
7. The neither party shall transfer and /or assign the rights granted under this agreement without the prior intimation and written permission of the other party and without obtaining a written undertaking by the proposed assignee/transferee agreeing to assume all of the said party's obligations under this agreement and to abide by all the obligations and covenants contained herein.
8. That this agreement shall be governed by the laws of India and shall be interpreted and construed in accordance with the laws of India and subject to the jurisdiction of Courts at Delhi which shall have exclusive jurisdiction to try, entertain and dispose between the parties thereto. All the notices, requests, demands and other



Dr. Rakesh Mittal
MEDICAL DIRECTOR
Senior Director Neurology
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062

communications, required/permitted to be given under this Agreement shall be in writing.

9. That the Occupier should get from time to time the Service Contract Agreement renewed from the Service Provider one month before the expiry of the validity of the Agreement. The Occupier further undertakes to keep the validity period of the agreement for a minimum period of one year from the date of service as per pollution Control Committee /Board Rule and in between if the agreement is cancelled, they should directly intimate Pollution Control Committee/Board with adequate reason about the cancellation of the agreement, failing which, all the consequence and penalties will be borne by the Occupier.
Further, the Occupier also undertakes to give one month notice in writing if they want to discontinue the service and wish to switch over to another Service Provider failing which, they have to pay the service charge equivalent to one-month minimum service charges to the service provider in lieu of one month notice period.
10. That in case the service contract agreement gets misplaced at the Occupier end, then an additional Rs.100/- will be charged from the Occupier for issuing the agreement once again.
11. That the Occupier further undertakes to sign every page of the agreement and return both copies of the agreement for Service Provider's signature and the Services Provider will return the duplicate signed copy of the agreement to the Occupier. On receipt of the agreement, the Occupier will submit a copy of the agreement with the date of service expiry to the Pollution Control Committee/Board.
12. The terms of this Agreement shall be in force from 1-Jan-23 to 31-Dec-23. If the Second Party intends to extend the period of this agreement, the Second Party shall make a request to the first party in Form A (annexed with the agreement) before the thirty days from the date of expiration of this agreement. It is hereby noted that approval of request of the second party shall be confirmed by the First Party in writing.
13. That in case there is any change in the constitution of Occupier, the same shall be informed forth with to the Service Provider.
14. That both the parties undertake to remain bound by the terms and conditions set out herein above.
15. Agreement Not a Partnership: Nothing in this Agreement is intended to create, nor shall it be construed as creating, a partnership.
16. No amendments, supplements, waiver or modifications of the terms of this Agreement shall be valid unless evidenced in writing and signed by a duly authorized representative of each of the Parties hereto.
17. DISPUTE RESOLUTION
 - a. Amicable Resolution -
In the event of any dispute, disagreement, complaint or difference between the Parties, in respect of or concerning or connected with the interpretation or implementation or arising out of this Agreement or any Clause or provision hereof, or relating to the termination hereof (a "Dispute"), then such Dispute shall in the first instance be resolved amicably by both the parties.
In the event that the Parties are unable to mutually resolve the Dispute within 15 (Fifteen) Business Days of the Dispute being raised before either of the Parties referred to it, the same shall be referred to arbitration as stated below.
 - b. Arbitration
 - i. If any disputes/differences between the Parties are not resolved under Clause 17(a) above within the time period mentioned therein, then the same shall be referred to and




Dr. Rajesh
MEDICAL DIRECTOR
Senior Director Neurology
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110052
DMC No. 17630

finally resolved by arbitration of a sole arbitrator in accordance with the Indian Arbitration Act, 1996 for the time being in force. The First Party shall have the sole discretion and responsibility of appointing the arbitrator within a period of 60 days. The language of the arbitration shall be English. ii. The Parties will continue to perform their respective obligations under the Agreement during the arbitration proceedings. iii. The seat and venue of arbitration shall be at New Delhi & the local laws of New Delhi shall be applicable.

iv. The arbitration shall be sole and exclusive remedy between the Parties regarding the dispute referred to arbitration and any claims, counterclaims issues or accountings presented to the arbitrators in connection with such dispute.

v. The Parties hereby undertake to implement the directions contained in the award without delay. The costs and expenses of arbitration shall be paid as may be determined by the arbitrator.

18. That Occupier must intimate the Operator in writing in advance, preferably over an email, if the HCF is closed due to any reason. In absence of such intimation, Occupier shall be liable to pay the service charges.

19. IN WITNESS WHEREOF, THE PARTIES HERE TO HAVE SET THEIR SIGNATURE AND SEAL ON THE DAY AND YEAR MENTIONED HEREIN ABOVE.

BIOTIC WASTE SOLUTIONS PVT. LTD.



(Authorized Signatory)

46-47, SSI Industrial Area,

G.T. Karnal Road, Delhi-110033 9899910083,

9560896389

ankit@biotic.co.in, care@biotic.co.in

GST: 07AAECB3197N1Z8 MSME:

DL05B0003909

Batra Hospital & Medical Research - 2141

(Authorized Signatory)

1, Tuglakabad Institutional Area, Near Saket Metro Station, Mehrauli Badarpur Road
Tuglakabad, Delhi-110044, State - DELHI, PIN - 110044

9958290479

md mdoffice@batrahospitaldelhi.org

07AAATC1551C1ZD

Dr. Rajesh Garg
MEDICAL DIRECTOR

Batra Hospital & Medical Research Centre

1, Tuglakabad Institutional Area, M. B. Road,
Tuglakabad, Delhi-110044

Phone: 9899910083
DMC No: 17830

Witness: BIOTIC WASTE SOLUTIONS PVT. LTD.

Witness: Batra Hospital & Medical Research - 2141

KNOW YOUR CLIENT (KYC) APPLICATION FORM FOR HEALTH CARE FACILITY (HCF)
(Please fill this form in ENGLISH and in BLOCK LETTERS)

A. IDENTITY DETAILS

1. HCF Name: Batra Hospital & Medical Research - 2141
2. HCF Address: 1, Tuglakabad Institutional Area, Near Saket Metro Station, Mehrauli Badarpur Road Tuglakabad, Delhi-110044, State - DELHI, PIN - 110044
3. Contact Name: _____
4. Email id: _____
5. Mobile No: _____
6. LandLine No: _____
7. PAN Number: AAATC1551C
8. GST Number: 07AAATC1551C1ZD
9. TAN No (If registered): _____ (Mandatory if deduct TDS on service bill)
10. Signing Authority Pan No: AAATC1551C
11. Signing Authority Aadhar Number: _____
12. Bedded/ Non-Bedded: Hospital 50-500 Bedded No of Beds: 495
13. PCB Authorization No: AF/14/08/2019/876 Valid Up to: #31
14. HCF Opening & Closing business hours/days: _____

B. HCF BANK DETAILS

1. Bank Name: _____
2. Bank Account Number: _____
3. Bank IFSC Code: _____

DECLARATION

I hereby declare that the details furnished above are true and correct to the best of my knowledge and belief and I undertake to inform you of any changes therein, immediately. In case any of the above information is found to be false or untrue or misleading or misrepresenting, I am aware that I may be held liable for it.

Signature of the Applicant Date: _____ (dd/mm/yyyy)

Note: Please fill the enclosed KYC form. Kindly send one copy of Aadhar Card, PAN Card, GST Registration if applicable, Pollution Control Board (PCB) authorization and one passport size photograph of the authorized signatory.


Date: 10th June, 2022

CIRCULAR

HICC meeting is scheduled for 18.06.2022 at 2:00 PM, Room No. 201. All members on their representatives are requested to attend.

Agenda:

1. Issues in Biomedical Waste Management.


Dr. Neelam Khanna, MD, MAMS
Sr. Consultant & Head Micro & Sero
Member Secretary, HICC
Director, Dept. of Lab. Medicine

CC:-

- ✓ Dr. Rajesh Garg – Medical Director
- ✓ Dr. S.S. Arora
- Dr. Vipul Sud
- Dr. Nomeeta Gupta
- ✓ Dr. Manjeet Arora
- ✓ Dr. Pavan Gurha
- Dr. D. Singh
- Dr. P. Gulati
- ✓ Dr. S.K. Pandey
- ✓ Ms. Annamma John
- Dr. Kunjahari Medhi
- ✓ Dr. Renu Tyagi
- Mr. S. Sangwan
- ✓ Mr. Raman Srivastav
- ✓ Ms. Nirmala Salichan
- ✓ Ms. Manisha Joshi

BATRA HOSPITAL & MEDICAL RESEARCH CENTRE

MEETING TITLE	HICC MEETING		
DATE	18.06.2022		
START TIME	2:00 PM	END TIME	: 3:00 PM
LOCATION	R. NO. 201		
ATTENDED BY	Dr. RAJESH GARG, DR. P. GURHA, Dr. MANJEET ARORA, DR.S S ARORA, DR. SANJAY PANDEY, MRS. ANNAMA JOHN, DR. RENU TYAGI, ICNs , Mr. Sangwan, Mr. Raman Srivastav		
ABSENT			
QUORUM MET	YES		
MINUTES RECORDED BY	DR. RENU TYAGI		
LAST MEETING HELD ON			

AGENDA	DISCUSSION	PERSON RESPONSIBLE	TARGET TIME	REMARKS (IF ANY)
Issues in Biomedical waste management	It has been observed on rounds that the BMW handler does not wear boots, goggles and rubber gloves but latex gloves as part of PPE.	House keeping supervisors and manager	Immediate effect for the safety of HCW	Improvement noted
	Record of daily BMW in Ward Registers is not being filled up and at times , there is a mismatch between the handlers record and ward record	Director nursing Ward nurses BMW handler Supervisors -house keeping	10 days	Uniform format made by ICTand being used in all wards
	Temporary storage rooms need repair /renovation to avoid entry of goose/pests	Chief engineer	15 days	Ongoing, expected to be over in a week
	Posters on BMW segregation in some areas need to be changed as are damaged.(cssd, 4A)	Manager housekeeping Quality cell	2 days	replaced

NEXT MEETING:

SIGNATURE OF MEMBER, SECRETARY, HICC

Neelam



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE
 OF CH. AISHI RAM BATRA PUBLIC CHARITABLE TRUST
 1, Tughlakabad Institutional Area, Mehrauli Badarpur Road,
 New Delhi - 110 062 Phone: 29958747

ATTENDANCE SHEET

TITLE	:	HICC & BMW committee meeting	
DATE & DAY	:	18.6.22	TIME 2.30 PM
VENUE OF MEETING	:	Room no. 201. 2.30 PM - 3.30 PM	
FACULTY	:	M.D. & members	

S. NO.	NAME	DEPARTMENT	EMPLOYEE ID	SIGNATURE
1.	Dr. K. Gang.	Medical Director & Chairperson HICC		<i>[Signature]</i>
2.	Dr. Pawan Kumar	Anaesthesia		<i>[Signature]</i>
3.	Annamma John	Cdr Officer	CR 003	<i>[Signature]</i>
4.	Dr. S. Arora	Medicine		<i>[Signature]</i>
5.	Manish	HIC	33633	<i>[Signature]</i>
6.	Dr. Jagjit K. Kaly	Head CTVS.		<i>[Signature]</i>
7.	Nimale	HIC	33715	<i>[Signature]</i>
8.	Dr. Renu Tyagi	HICO		<i>[Signature]</i>
9.	Manoj Kumar	Sr. Con. O&P		<i>[Signature]</i>
10.	Ms. Satinder Singh	Head Engg.	08129	<i>[Signature]</i>
11.	Raman Crivastava	Mgt. Housekeeping	17528	<i>[Signature]</i>
12.	Dr. Neelam Kumar	Member Secretary HICC & BMW		<i>[Signature]</i>



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE, NEW DELHI

Attendance Sheet

S. Nurse

Date: 8/3/22 Time: 1 - 2

TOPIC: Biomedical waste management Protocol

S.NO.	Name	Department	Employee ID	Signature	Pre. Post
1	Renu Bharti	NMICU	35231	Renu	5/5
2	Jyoti Ahlawat	UC	35929	Jyoti	5/5
3	Shobha	2A	37030	Shobha	3/5
4	Elzabeth	NMICU	35960	Elzabeth	2/5
5	Jinu George	NMICU/PICU	35924	Jinu	4/5
6	Pragya	MICU	CT-209	Pragya	2/5
7	Poonam Pal	MICU		Poonam	4/5
8	Lopajura	Muc	35010	Lopajura	2/5
9	Anil Son-Sharma	Con. Security	35279	Anil	3/5
10	Sangita	F.W	35967	Sangita	4/5
11	Shilpa	CTUS	35655	Shilpa	4/5
12	Anjali	MICU	35741	Anjali	2/5
13	Diksha	MICU	35589	Diksha	2/5
14	Salshi	4th	-	Salshi	2/5
15	Pooja 35822	3A	35822	Pooja	3/5
16	Akansha Jaul	9(A)	35947	Akansha	3/5
17	Waxnu	4(C)	-	Waxnu	4/5
18					
19					
20					

Signature with Name Of The Faculty

- | | | |
|---------------------|-----|-----|
| 1) NIRMALA SALICHAN | 6) | 11) |
| <u>Nirmala</u> | | |
| 2) | 7) | 12) |
| 3) | 8) | 13) |
| 4) | 9) | 14) |
| 5) | 10) | 15) |



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE, NEW DELHI

Attendance Sheet

Date: 8/3/22 Time: 3 - 4

TOPIC: Biomedical waste management Protocol

S.NO.	Name	Department	Employee ID	Signature
1	Ansu V. Anjeyan	3C+3D	35931	Ansu 4/5
2	Reshma	3C+3D		Reshma 4/5
3	Babli Yadav	3C + 3D		Babli 4/5
4	Kalpana	PICU/NICU	3570	Kalpana 5/5
5	Nijia K. Vaeghese	NNICU	35664	Nijia 5/5
6	Rose Theres Jay	NNICU	35709	Rose 5/5
7	Ashley Jacob	2A	35894	Ashley 4/5
8	Rajni	2A	35829	Rajni 5/5
9	Meher Singh	QA	35821	Meher 5/5
10	Dipika Agrahari	NNICU	35815	Dipika 5/5
11	Dolly	II-A	32119	Dolly 5/5
12	Hema	Endo	32095	Hema 5/5
13	Shravan Chaudhan	Endoscopy	35098	Shravan 5/5
14	Nereena Roy	Main Casualty	33400	Nereena 5/5
15				
16				
17				
18				
19				
20				

Signature with Name Of The Faculty

- | | | |
|--------------------|-----|-----|
| 1) Nirmala Saharan | 6) | 11) |
| <u>Nirmala</u> | 7) | 12) |
| 3) | 8) | 13) |
| 4) | 9) | 14) |
| 5) | 10) | 15) |



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE
OF CH. AISHI RAM BATRA PUBLIC CHARITABLE TRUST
 1, Tughlakabad Institutional Area, Mehrauli Bederpur Road,
 New Delhi - 110 062 Phone: 29958747

ATTENDANCE SHEET

TITLE	:	Needle & Scalp Injuries.			
DATE & DAY	:	09/09/2022.	TIME	:	2:15 to 2:30 PM.
VENUE OF MEETING	:	H.K. office			
FACULTY	:	Shiv Gaur.			


S. NO.	NAME	DEPARTMENT	EMPLOYEE ID	SIGNATURE
1.	Ravi	HK		Ravi
2.	Satish			Satish
3.	Somy			SONU
4.	Sandeep			Sandeep
5.	Maneeta			Maneeta

Shiv Gaur
 9/9/22

Needle Stick Injuries & Blood / Body Fluid Exposure (January- December, 2022)

Category	January	February	March	April	May	June	July	August	September	October	November	December	Total
Doctors	1	-	-	-	-	-	1	1	1	-	-	-	4
Staff Nurse	3	1	-	2	-	1	1	2	1	1	1	1	14
Nursing Aid	-	-	-	-	-	1	-	0	-	-	-	-	1
Technician	-	-	-	-	-	-	-	-	1	-	1	-	2
Laundry Staff	-	-	-	-	-	-	-	-	1	-	-	-	1
Nursing Student	-	-	-	-	-	-	-	-	-	1	2	-	3
BMW Handler	-	-	-	-	-	-	-	-	1	-	-	-	1
Total	4	1	0	2	0	2	2	3	5	2	4	1	26

Cause of Injury :- While assisting in Suturing = 3 While suturing = 3 While Discarding the needle = 6 While doing procedure = 1 While assisting IV canulation = 3 While collecting BMW = 1 Splash on face = 1 Cut injury = 1 While collecting blood sample = 2 Others = 5	Source status :- Unknown - 4 HCV+ve - 3 HBsAg +ve - 4 PEP Given : Nil	Action taken:- Followup upto 6 months Followup X 6 months HCW protected. Followup 6 months Training & counselling done.	Contaminated Sharp Injury = 25/26 (96.1%) Blood & Body Fluid Exposure = 1/26 (3.8%) Sero Conversion = Zero (0) till date	HCW Status :- Hep B Vaccinated = 24/26 (92.3%) Hep B Vaccination on going = 2/26 (7.6%)
--	--	--	--	--


 Dr. Neelam Khanna, MD
 Sr. Consultant, Microbiology
 Member Secretary, HICC