

BHMRC/BMW/AR / 2025

Date: 27.06.2026

To

The Member Secretary,
Delhi Pollution Control Committee,
4th Floor ISBT Building,
Kashmiri Gate,
New Delhi - 110006

Sub: Annual Report of Biomedical Waste 2025

Sir,

Please find enclosed the Annual Report of Biomedical Waste generated in Batra Hospital & Medical Research Centre from 1st January 2025 to 31st December 2025 in the prescribed form with Annexures.

Thanking you,

Yours sincerely,



Dr. Amiya Verma
Medical Superintendent

List of Annexures:

1. PAN Card of the Hospital
2. Aadhar Card of Medical Superintendent
3. Biomedical Waste Authorization
4. Consent Order under Air Act and Water Act
5. Hospital Registration Certificate
6. Biomedical Waste Data of 2025
7. MOU with outsourced agency (Biotic Waste Solution Pvt. Ltd.)
8. Minutes of the BMW Management Committee
9. Training Records on Biomedical Waste
10. Details of Needle Stick Injuries and Blood & Body Fluid Exposures
11. Water Reports

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

ANNUAL REPORT FOR THE YEAR 2025

(1st January 2025 to 31st December 2025)

Batra Hospital & Medical Research Centre, New Delhi

Sl. No.	Particulars	Details
1.	Particulars of the Occupier	:
	(i) Name of the authorised person (occupier or operator of facility)	: Dr. Amiya Kumar Verma, Medical Superintendent
	(ii) Name of HCF or CBMWTF	: Batra Hospital & Medical Research Centre
	(iii) Address for Correspondence	: 1, Tughlakabad Institutional Area, M.B. Road, New Delhi- 110 062
	(iv) Address of Facility	: 1, Tughlakabad Institutional Area, M.B. Road, New Delhi- 110 062
	(v) Tel. No, Fax. No	: Tel: 011 – 29902034
	(vi) E-mail ID Mobile No. PAN No. (Of Income Tax Dept) of the HCU	: md_mdoffice@batrahospitaldelhi.org amiya.verma@batrahospitaldelhi.org Mob: 9891081768 AAATC1551C (Annexure-1)
	(vii) URL of Website Applicant UID No. (Aadhar No.)	: www.batrahospitaldelhi.org Aadhar No. :594853232943 (Annexure-2)
	(viii) GPS coordinates of HCF or CBMWTF	: 28.49 ⁰ North 77.24 ⁰ East
	(ix) Ownership of HCF or CBMWTF	: Private run by public charitable trust
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: DPCC/(11)(5)(01)/2024/BMW/NST/AUTH/93436646C Valid upto: 23.06.2028 (Annexure-3)
	(xi). Status of Consents under Water Act and Air Act	: Consent order no. DPCC/CMC/2024/9713076 Valid up to: 23.06.2028 (Annexure-4)
2.	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: 500
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: NA
	(iii) License number and its date of expiry	: Reg. No./ DHS / NH/111 Valid upto:31.03.2026 – Applied for renewal (Annexure-5)

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M.B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

3.	Details of CBMWTF		:																																													
	(i) Number healthcare facilities covered by CBMWTF	:	NA																																													
	(ii) No of beds covered by CBMWTF	:	NA																																													
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA																																													
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA																																													
4.	Quantity of waste generated or disposed inKg per annum (on monthly average basis)	:	<table border="1"> <tr> <td>Yellow Category : 47815.94</td> <td rowspan="5">(Annexure-6)</td> </tr> <tr> <td>Red Category : 64305.734</td> </tr> <tr> <td>White: 1300.43</td> </tr> <tr> <td>Blue Category : 18378.827</td> </tr> <tr> <td>General Solid waste: 70092</td> </tr> </table>	Yellow Category : 47815.94	(Annexure-6)	Red Category : 64305.734	White: 1300.43	Blue Category : 18378.827	General Solid waste: 70092																																							
Yellow Category : 47815.94	(Annexure-6)																																															
Red Category : 64305.734																																																
White: 1300.43																																																
Blue Category : 18378.827																																																
General Solid waste: 70092																																																
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																															
	(i) Details of the on-site storage facility	:	Size: 18x10.3x7.5=1471.50 cubic ft. 14.9x5x10=745 cubic ft. Capacity: Total 2216.50 cubic ft.																																													
			Provision of on-site storage: Ventilated and secured rooms - YES																																													
			Any other provision : Exhaust Fan																																													
	disposal facilities		<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No. of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>01</td> <td>180 Litre</td> <td>2421.32 Kg</td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td>-</td> <td>-</td> </tr> </tbody> </table>	Type of treatment equipment	No. of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves	01	180 Litre	2421.32 Kg	Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:		-	-	
Type of treatment equipment	No. of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																													
Incinerators																																																
Plasma Pyrolysis																																																
Autoclaves	01	180 Litre	2421.32 Kg																																													
Microwave																																																
Hydroclave																																																
Shredder																																																
Needle tip cutter or destroyer																																																
Sharps encapsulation or concrete pit																																																
Deep burial pits:																																																
Chemical disinfection:		-	-																																													

		Any other treatment equipment:	- ETP	40KL/Day	12784 (Inlet) 12419 (Outlet)
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	NA		
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	Quantity generated	Where disposed	
			Incineration Ash	NA	NA
			ETP Sludge	287.5 Kg	CBMWTF
			STP	2508.8 Kg	CBMWTF
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Biotic Waste Solutions Pvt. Ltd. (Annexure-7) 46, SSI Industrial Area, GTK Road, Delhi - 110 033 Tel: 011 – 47528106, 7838747477 Email ID: info@bioticwastesolutions.com		
	(vii) List of member HCF not handed over bio-medical waste.	:	NA		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes, Minutes of the meeting attached. (Annexure-8)		
7	Details trainings conducted on BMW	:			
	(i) Number of trainings conducted on BMW Management.	:	67 (Annexure-9)		
	(ii) number of personnel trained	:	822		
	(iii) number of personnel trained at the time of induction	:	229		
	(iv) number of personnel not undergone any training so far	:	Nil		
	(v) whether standard manual for training is available?	:	Yes		
	(vi) any other information	:	--		
8	Details of the accident occurred during the year	:			
	(i) Number of Accidents Occurred	:	Needle Stick Injury & Blood and Body fluid exposure (Annexure-10)		

	(ii) Number of the persons affected	:	(Annexure-10) - 20
	(iii) Remedial Action taken (Please attach details if any)	:	Education and awareness training done. PEP given to these staff. All were vaccinated against Hepatitis B. (Annexure-10)
	(iv) Any Fatality occurred, details.	:	NO
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed	:	NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	STP Inlet : 105391 KL STP Outlet : 104357 KL ETP Inlet : 12784 KL ETP Outlet : 12419 KL Met the liquid waste standard every time - (Annexure-11)
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Standards of temperature and pressure of autoclave met with. Monitoring of autoclave with chemical indicators daily and biological indicator weekly is done. No failure of any cycle.
12.	Any other relevant information.	:	NA

Certified that the above report is for the period from 1st January 2025 to 31st December 2025.

Date: **27.06.2025**

Place: **New Delhi**


Dr. Amiya Verma
Medical Superintendent

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

स्थायी लेखा संख्या /PERMANENT ACCOUNT NUMBER

AAATC1551C



नाम /NAME

**CH-AISHI-RAM-BATRA PUBLIC CHARITABLE TRUST
REGD.**

निगमन/बनने की तिथि /DATE OF INCORPORATION/FORMATION

27-01-1979

आयकर आयुक्त, अमृतसर

COMMISSIONER OF INCOME-TAX, AMRITSAR

इस कार्ड के खो / मिल जाने पर कृपया जारी करने
वाले प्राधिकारी को सूचित / वापस कर दें
आयकर आयुक्त,
आयकर भवन,
मक्बूल रोड,
अमृतसर - 143 001.

In case this card is lost/found, kindly inform/return to
the issuing authority :

Commissioner of Income-tax,
Aayakar Bhawan,
Maqbool Road,
Amritsar - 143 001.

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758




भारत सरकार
Government of India

भारतीय विशिष्ट पहचान प्राधिकरण
Unique Identification Authority of India

नामांकन क्रम/ Enrolment No.: 2714/18011/00017

To
अमिया कुमार वर्मा
Amiya Kumar Verma
S/O Bramchari Vindheshwar,
D-02 BATRA HOUSING COMPLEX,
BATRA HOSPITAL MEDICAL RESEARCH CENTRE,
VTC: Dr. Ambedkar Nagar,
PO: Pushpa Bhawan,
Sub District: Hauz Khas,
District: South Delhi,
State: Delhi,
PIN Code: 110062,
Mobile: 9891081768



Validity unknown
Digitally signed by Amiya Kumar Verma
DN: cn=Amiya Kumar Verma, o=Unique
Identification Authority of India, email=amiya.kumar.verma@uidai.gov.in, c=IN

आपका आधार क्रमांक / Your Aadhaar No. :

5948 5323 2943

VID : 9132 5485 8255 0159

मेरा आधार, मेरी पहचान



भारत सरकार
Government of India



अमिया कुमार वर्मा
Amiya Kumar Verma
जन्म तिथि/DOB: 20/02/1980
पुरुष/ MALE

आधार पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं।
इसका उपयोग सत्यापन (ऑनलाइन प्रमाणीकरण, या क्यूआर कोड/
ऑफलाइन एक्सएमएल की स्कैनिंग) के साथ किया जाना चाहिए।
Aadhaar is proof of identity, not of citizenship
or date of birth. It should be used with verification (online
authentication, or scanning of QR code / offline XML).

5948 5323 2943

मेरा आधार, मेरी पहचान



Government of India



सूचना / INFORMATION

- आधार पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं। जन्मतिथि आधार नंबर धारक द्वारा प्रस्तुत सूचना और विनियमों में विनिर्दिष्ट जन्मतिथि के प्रमाण के दस्तावेज पर आधारित है।
- इस आधार पत्र को यूआईडीआई द्वारा नियुक्त प्रमाणीकरण एजेंसी के जरिए ऑनलाइन प्रमाणीकरण के द्वारा सत्यापित किया जाना चाहिए या ऐप स्टोर में उपलब्ध एमआधार या आधार क्यूआर कोड स्कैनर ऐप से क्यूआर कोड को स्कैन करके या www.uidai.gov.in पर उपलब्ध सुरक्षित क्यूआर कोड रीडर का उपयोग करके सत्यापित किया जाना चाहिए।
- आधार विशिष्ट और सुरक्षित है।
- पहचान और पते के समर्थन में दस्तावेजों को आधार के लिए नामांकन की तारीख से प्रत्येक 10 वर्ष में कम से कम एक बार आधार में अपडेट कराना चाहिए।
- आधार विभिन्न सरकारी और गैर-सरकारी फायदों/सेवाओं का लाभ लेने में सहायता करता है।
- आधार में अपना मोबाइल नंबर और ईमेल आईडी अपडेट रखें।
- आधार सेवाओं का लाभ लेने के लिए एमआधार ऐप डाउनलोड करें।
- आधार/बायोमेट्रिक्स का उपयोग न करने के समय सुरक्षा सुनिश्चित करने के लिए आधार/बायोमेट्रिक्स लॉक/अनलॉक सुविधा का उपयोग करें।
- आधार की मांग करने वाले सहमति लेने के लिए बाध्य हैं।
- Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.
- This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.
- Aadhaar is unique and secure.
- Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar.
- Aadhaar helps you avail of various Government and Non-Government benefits/services.
- Keep your mobile number and email id updated in Aadhaar.
- Download mAadhaar app to avail of Aadhaar services.
- Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics.
- Entities seeking Aadhaar are obligated to seek consent.




भारतीय विशिष्ट पहचान प्राधिकरण
Unique Identification Authority of India



पता:
S/O ब्रमचारी विन्देश्वर, डी-02 बत्रा हाउसिंग कॉम्प्लेक्स,
बत्रा अस्पताल मेडिकल रिसर्च सेंटर, डॉ. अम्बेडकर नगर,
पुष्पा भवन, दक्षिण दिल्ली,
दिल्ली - 110062

Address:
S/O Bramchari Vindheshwar, D-02 BATRA
HOUSING COMPLEX, BATRA HOSPITAL
MEDICAL RESEARCH CENTRE, Dr.
Ambedkar Nagar, PO: Pushpa Bhawan,
DIST: South Delhi,
Delhi - 110062



5948 5323 2943

VID : 9132 5485 8255 0159

1947 | help@uidai.gov.in | www.uidai.gov.in

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2024/BMW/NST/AUTH/93436646C

Application No: 9711170

Date:13/05/2024

1. M/s Batra Hospital and Medical Research Centre an occupier of the facility located at 1, Tughlakabad Institutional Area, Mehrauli Badarpur Road, Delhi - 110062 is hereby granted this authorization for Generation, Segregation, Collection, Storage, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. **Number of beds of HCF : 500**
3. **Quantity of Biomedical waste handled : 458.01 (Kg/day)**
4. This authorization shall be in force for a period of Five Years and valid up to 23/06/2028.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

MEGHRAJ
SINGH
RAWAT

Digitally signed by
MEGHRAJ SINGH
RAWAT
Date: 2024.05.13
13:59:45 +05'30'

Signature.....

Designation

-:-Terms and Conditions:-:-

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
3. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).
4. The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
5. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
6. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste with in the intended time or as per the agreed time.
7. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over. The record shall be made available, for inspection & verification, to any officer authorized by DPCC.
8. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in

Dr. Amiya Kumar Verma
Batra Hospital & Medical Research Centre
Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

Form-I, prescribed under the Rules, to DPCC.

9. In case the Occupier is having a Generator Set, he shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment, Forest & Climate Change (MoEF&CC), Government of India Dated 17.05.2002 and 12.07.2004, as amended to date, for the Diesel Generator Set(s). Stack height with the Generator Set shall be as per the following formula, H is equal to h plus $(0.2 \times \text{square root of KVA})$ where ' H ' is Total Height of stack in meter, ' h ' is Height of the building in meters where the Generator Set is installed and KVA is capacity of the Generator set in KVA). The HCF need to comply with the directions issued by CAQM from time to time regarding Generator Sets.

10. The Occupier shall also ensure proper collection and disposal of bio-medical waste containing mercury through the vendor authorize for the purpose. The occupier shall phase out mercury based equipment e.g. thermometers and B.P. Measuring Equipment.

11. The Occupier shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.

12. The Occupier is required to display the authorization at a prominent place in its premises for view of general public.

13. If the Occupier is having laundry facility and/or not connected to the public sewer, the Occupier is required to install requisite treatment system before its discharge to meet the standards as prescribed under BMWM Rules, 2016.

14. The Occupier shall use only non-chlorinated plastic bags & gloves as per Notification dated 16th March, 2018 published by MOEF&CC.

15. The Occupier shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises for the further treatment & disposal in accordance with the guidelines issued by CPCB.

16. The Occupier shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other generated effluent from HCF, if any.

17. The Occupier shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis-B & Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health & Family Welfare issued from time to time.

18. The Occupier shall ensure occupational safety of all its health care workers & others involved in handling of bio-medical waste by providing appropriate & adequate personal protective equipment.

19. The Occupier shall conduct health check-up at the time of induction & at least once in a year for all its health care workers others involved in handling of bio-medical waste & shall maintain records for the same.

20. The Occupier shall develop its own website by 15th March, 2020 and shall make available the annual report on its website.

21. The Occupier shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction & thereafter at regular intervals & the details of training programmes conducted, number of personnel trained & number of personnel not undergone any training shall be provided in the Annual Report.

22. The Occupier shall submit the Annual Report in Form-IV by 30th June every year, including information about the categories and quantities of bio-medical waste generated from 1st January to 31st December of the preceding year.

23. The Occupier shall submit the copy of fresh valid agreement with CBWTF to this office within 15 days of expiry of previous agreement or in case of any change.

24. Submission of false information shall make the authorization liable for cancellation without any notice.


25. The Occupier shall use only Piped Natural Gas (PNG) as fuel in boilers, if any.

Dr. Aniya Kumar Verma
Medical Superintendent
Medical Research Centre
Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

26. The occupier shall apply for renewal of authorization under the aforementioned Rules before one month of the expiry of this authorization.
27. The occupier shall apply for fresh Authorization in case of any change/ alteration in the activity/number of beds etc.
28. In case of violation of any of above said conditions, penal action will be initiated against the Occupier including withdrawal of authorization/consent etc.
29. In case of failure to comply with any of the above conditions and / or with any provision of the Act or of these Rules, authorization issued to the Occupier may be suspended or cancelled as per the provisions under sub-rule 10 (2) of Bio- Medical Waste Management Rules, 2016, as amended to date.
30. This issues as per the approval of BMW Committee No. 1 in it's meeting held on 18.12.2023.
31. Environmental Compensation imposed (if any) shall be dealt separately.

To,

Batra Hospital and Medical Research Centre
1, Tughlakabad Institutional Area, Mehrauli Badarpur Road, Delhi - 110062



Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at <https://www.dpccocmms.nic.in>)



CONSENT ORDER

Certificate No. :G-41090

Name of the unit	:	Batra Hospital and Medical Research Centre
Address	:	1, Tughlakabad Institutional Area, Mehrauli Badarpur Road, Delhi - 110062, Health Care Facility, Delhi -
Area	:	Non Industrial
Area Name	:	Health Care Facility
Consent Order No	:	DPCC/CMC/2023/9713076
Date of issue	:	13/05/2024
Product Name	:	[Hospital]
Product Capacity	:	500 Numbers/Day
Fuel Type	:	PNG C: 2 Ton Q: As Per Records
Control Equipment	:	Other
ETP Details	:	D.Capacity: 40 KLD Type: ETP(Bio-logical)
Stack Details	:	9713101 AT: Boiler H: 30
Activity Name	:	Health Care Establishments (500 bedded HCF)
Category	:	[RED]
Generator Set(s)	:	1000

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **OTHER** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 9713076 valid from 24/06/2023 to 23/06/2028.**

MEGHRAJ
SINGH RAWAT

Digitally signed by
MEGHRAJ SINGH RAWAT
Date: 2024.05.13
13:48:50 +05'30'

Senior Environmental Engineer

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH = 6.5-9, Total Suspended Solids (TSS) = 100, Biochemical Oxygen Demand (3 days at 27 degree Cent.) = 30, COD = 250, Oil and Grease = 10, Bio-assay Test (Present survival of fish after 96 hours in 100% effluent) = 90-100 %. All effluent parameters are in mg/l except pH value & Bioassay test value.
2. The Consent is activity specific and based on the information provided in the consent application along with the subsequent documents/ information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/ manufacturing process.
3. The Consentee shall display the Name of the unit along with its Address, name of the Proprietor /Directors/ Partners etc., Contact Phone No(s) and its Activities/ Processes/ Products on a Display Board to be placed / fixed at the main gate of the unit.
4. The Consentee/ unit shall have/ take separate Electricity/ Power connection in its name and shall have/ install separate meter in this regard.
5. The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to the conveyance system/ sewerage system of the area leading to the Common Effluent Treatment Plant of the Industrial Area/ Sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/ Notification of Govt. of NCT of Delhi. The Consentee shall not extract the groundwater without obtaining prior permission in this regard from DJB/ CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, the same shall be closed/ sealed with immediate effect till permission received from DJB/ CGWA.
7. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain a clean & safe environment in and around the premises of the unit.
8. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest and Climate Change (MoEF&CC), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MoEF&CC, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:
 - a). Minimum 6 metre above the building where generator set is installed
 - b). 30 metre
 - c). $14Q^{0.3}$ (Q- Total SO₂ emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2(KVA)^{0.5}$ (H- Total Height of stack in metre, h = Height of the building in metres where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
9. The Consentee needs to comply with the directions of CAQM (Commission for Air Quality Management In National Capital Region and Adjoining Areas) issued from time to time regarding Generator Sets.
10. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016, as amended to date, the Battery Waste Management Rules, 2022 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2022, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, Construction and Demolition Waste Management Rules, 2016 as amended to date, Biomedical Waste Management Rules, 2016, as amended to date, Plastic Waste Management Rules, 2022, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessor/ Authorised Agents for such wastes,

Dr. Aniya Kumar Verma
Batra Hospital & Medical Research Centre
Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

authorised by MoEF&CC/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.

11. The Consentee shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.

12. The Consentee shall promote the use of LED and recovery of mercury from CFL Lamps and should create a system of replacing old bulbs for new to enable recovery of mercury after the bulbs are fused.

13. Total water demand of the HCF is 300 KLD and the same will be met by fresh water from DJB & STP Treated Water. Trade Effluent generated from cooling water blowdown, boiler blowdown & other activity i.e. (30 KLD) will be treated in ETP of 40 KLD. Domestic wastewater generation will be 175 KLD and will be treated in STP of 500 KLD. Wastewater generated will be treated in STP of 500 KLD to meet prescribed standard as given the consent order during operation of the HCF.

14. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.

15. The zero wastewater discharge condition to be achieved with installation of onsite Sewage Treatment Plant. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and a report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.

16. Quantity of Sewage/ trade effluent discharge from the unit shall not exceed Nil litre/day (100 % wastewater recycling and zero wastewater discharge).

17. The treated wastewater of STP shall be recycled and reused for horticulture/ landscaping/ cooling/ flushing purposes to reduce the demand of fresh water as committed.

18. The Project Proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/ green etc. and shall maintain a record of readings of each such meter on daily basis.

19. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the Project Proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis.

20. Capacity of the Diesel Generator Set (s) installed in the HCF are 1*1000 KVA, 1*1250 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.

21. The Consentee shall comply with the applicable provisions/ Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of PolyPropylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi if applicable.

22. The Consentee shall provide widespread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.

23. Project Proponent will ensure use of Ozone Depletion Substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.

24. During the Construction Phase for Control of dust pollution all precautionary measure should be ensured in compliance of Hon'ble National Green Tribunal order dated 04.12.2014 in the matter of Vardhaman Kaushik Vs. Union of India & Ors. and Sanjay Kulshrestha Vs. Union of India & Ors. and as notified by


Dr. Aniya Kumar Verma
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

MoEF&CC, GOI vide Notification No. G.S.R. 94(E) dated 25.01.2018. Consignee shall use Anti-Smog Gun(s) compulsorily for undertaking construction & demolition activity including excavation, material handling and other dust generating activities for compliance of Hon'ble Supreme Court orders dated 13.01.2020 in WPC No. 13029/1985 titled M.C. Mehta Vs. Union of India & Ors.

25. It will be the responsibility of the Project Proponent to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this project before starting of the project.

26. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.

27. The Consentee shall submit an application for extension of the Consent to Establish/ Consent to Operate under Water and Air Acts & Authorization under BMWM Rules, 2016 one month in advance of the expiry date of this Consent Order/ date of start of operation of the HCF.

28. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statutory authorities shall be entirely at the cost and risk of the project proponent, DPCC shall not be responsible in this regard in any manner.

29. The Consentee is allowed to run the pollution control devices and collect and test the data. The trial for these aforesaid purposes is permitted within the period of maximum three months from the date of completion. The Consentee shall give prior intimation to DPCC, of the dates on which trial would start and end. Thereafter Project Proponent shall apply for Consent to Operate along with requisite details and test reports to DPCC.

30. The Consentee shall abide by the Guidelines on Environmental Management of Construction and Demolition (C&D) Waste and Guidelines on Dust Mitigation Measure in Handling Construction Material and C&D waste developed and published by CPCB available at www.cpcb.nic.in

31. The Consentee shall display the enclosed template of Notice for Construction and Demolition Waste Management at the site.

32. The Consentee shall ensure the compliance of policy to be followed regarding operation of Ready Mix Concrete Plants (RMC Plants) issued vide office order No. DPCC/CMC I/RMC/2017/2596 to 2614 dated 27.12.2017 (available at DPCC website).

33. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.

34. Notwithstanding anything contained in this Consent Order. Delhi Pollution Control Committee, reserves its right to review any/ or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.

35. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

36. This issues as per the approval of BMW Committee No. 1 in it's meeting held on 18.12.2023.



Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

DIRECTORATE GENERAL OF HEALTH SERVICES

GOVERNMENT OF NCT OF DELHI

F-17, KARKARDOOMA, SHAHDARA, DELHI-110032

Reg. No./DHS/NH/.....111.....

Dated : 23/06/2023

Registration Certificate

(Under Section 5 of Delhi Nursing Homes Registration Act, 1953)

For the Period..2023-26

It is certified that..BATRA HOSPITAL & MEDICAL RESEARCH CENTRE.....

1, TUGHLAKABAD INSTITUTIONAL AREA, M.B. ROAD, N.D-62 with 500 beds
(Five Hundred)

is being run by..Ch. AISHI RAM BATRA PUBLIC CHARITABLE TRUST.....has been registered under

Delhi Nursing Homes Registration Act, 1953 and is authorized to carry out the permitted nursing home activities at

the above said premises. (With OT, Labour Room, ICU, PICU, NURSERY/NELU & GEN Bldg)

This registration certificate is valid upto 31st March, 2026

Director General Health Services
Govt. of NCT of Delhi

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
New Delhi - 110002
Regn. No. DMC / R / 10758

To,

Date: 05.01.2026

The Medical Superintendent
Nursing Home Cell
Directorate General of Health Services
Govt. of NCT of Delhi
3rd Floor, DGD Building
School Block, Shakarpur
New Delhi - 110092

**Sub: Application for Renewal of Batra Hospital & Medical Research Centre, New Delhi
Registration under Delhi Nursing Homes Registration Act**

Respected Madam,

In compliance with the provisions of the Delhi Nursing Homes Registration Act and Rules framed thereunder, this is to submit that the registration of Batra Hospital & Medical Research Centre, situated at 1, Tughlakabad Institutional Area, M.B. Road, New Delhi - 110062, is due to expire on 31.03.2026.

Accordingly, we hereby apply for renewal of the hospital registration. The prescribed Application Form- B along with all requisite documents, information and applicable fees, as mandated under the Act/Rules, are enclosed herewith for your kind consideration.

We affirm that the hospital continues to comply with all statutory requirements, standards and conditions stipulated under the Delhi Nursing Homes Registration Act and relevant guidelines issued by the competent authority.

You are requested to kindly process the application and grant renewal of registration.

Thanking you.



Yours faithfully,


Dr. Amiya Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
New Delhi

List of Annexures:

1. Acknowledgment Page (Application reference ID 2663)
2. Fee Details
3. Form-B
4. Authorization Letter
5. PAN Card
6. Partnership deed
7. Land and property documents
8. Fire NOC

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758


Dr. Amiya Kumar Verma
Medical Superintendent

1, Tughlakabad Institutional Area, New Delhi - 110062
Phone : 29958747, 29902001, 29903000
Emergency No. : 28053333, 29956888
Batra Hospital & Medical Research Centre
Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

9. Layout Plan along with floor wise services
10. Bifurcation of beds
11. List of full time consultants, associate consultation along with DMC certificate & Appointment letter
12. List of JRs, SRs, Clinical Associates, CMOs & RMO with DMC and appointment letter
13. List of Nurses with DNC (General Ward/ICUs/Ventilator Beds/Nursing Supervisors)
14. List of Pharmacists, Lab Technicians & Manifold Technicians
15. Scope of Services
16. BMW Authorization
17. Agreement with Biotic Waste Solution for Collection of Biomedical Waste
18. Consent under water (Prevention and Control of Pollution) Act.
19. Noise monitoring report
20. Affidavit
21. Ambulance Fitness Certificate
22. MOU of outsourced Ambulance
23. MTP Certificate
24. PNDT Certificate
25. NABH Certificates
26. NABL Certificate
27. Pharmacy Certificates
28. Letter head
29. Previous Hospital Registration
30. Tariff list
31. Equipment List



Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758



BATRA HOSPITAL & MEDICAL RESEARCH CENTRE

1, Tughlakabad Institutional Area, Mehrauli Badarpur Road,
New Delhi – 110 062 Phone: 29958747



BMW Yearly Summary (2025)

Month						Total Bags		Occupancy	BMW Average Per Bed			
	Yellow Bags		Red Bags		Blue Bags		Cytotoxic Waste			Sharp Container	Nos.	Wt. (In Kg)
	Nos.	Wt. (In Kg)	Nos.	Wt. (In Kg)	Nos.	Wt. (In Kg)						
January	1002	3553.08	952	4806.03	350	1250.84	159.39	107.02	2444	9856.355	5805	1.70
February	879	3114.67	843	4680.52	330	1254.35	116.855	97.705	2176	9264.10	5579	1.66
March	974	3437.42	922	5305.225	368	1439.39	101.625	105.745	2399	10389.40	5912	1.76
April	954	3235.88	910	5034.79	373	1852.54	107.41	106.755	2378	10337.38	6018	1.72
May	980	3589.51	949	5380.51	378	1543.93	120.13	105.5	2450	10739.57	6396	1.68
June	962	3739.58	929	5125.835	357	1363.8	111.78	107.805	2383	10448.8	5865	1.78
July	988	4022.74	942	5391.433	393	1582.73	135.025	117.56	2471	11249.49	6519	1.73
August	999	5911.62	958	6226.595	399	1641.29	123.03	131.06	2507	14033.6	7239	1.94
September	1010	4101	973	6010.68	403	1759.56	116.465	107.085	2522	12094.79	7426	1.63
October	983	3886.85	939	5300.82	369	1795.71	118.86	102.345	2431	11204.59	5634	1.99
November	974	3920.51	930	5628.086	366	1448.78	122.595	99.25	2411	11219.22	5914	1.90
December	943	3878.36	935	5415.21	363	1445.94	91.575	112.6	2421	11137.38	5993	1.86
TOTAL	11648	46391.22	11182	64305.73	4449	18378.8	1424.725	1300.425	28993	131974.7	74300	1.78
AVG/ MONTH	970.67	3865.94	931.83	5358.81	370.75	1531.57	118.73	108.37	2416.08	10997.89	6191.67	1.78
AVG/DAY	31.91	127.10	30.64	176.18	12.19	50.35	3.90	3.56	79.43	361.57	203.56	1.78

Dr. Amiya K. Verma

Medical Superintendent

Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 19758



सत्यमेव जयते

INDIA NON JUDICIAL

Government of National Capital Territory of Delhi

e-Stamp

Certificate No.	: IN-DL77680589375461Y
Certificate Issued Date	: 22-Mar-2026 10:41 AM
Account Reference	: IMPACC (IV)/ dl705103/ DELHI/ DL-NWD
Unique Doc. Reference	: SUBIN-DL70510374233332621595Y
Purchased by	: Biotic Waste Solutions Pvt Ltd
Description of Document	: Article 5 General Agreement
Property Description	: Not Applicable
Consideration Price (Rs.)	: 0 (Zero)
First Party	: Biotic Waste Solutions Pvt Ltd
Second Party	: Not Applicable
Stamp Duty Paid By	: Biotic Waste Solutions Pvt Ltd
Stamp Duty Amount(Rs.)	: 10 (Ten only)



Please write or type below this line

Unique ID: 2141

Agreement No:

This agreement is made and executed at New Delhi on 30-Mar-26.

[Signature]



Dr. Aniya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

[Signature]

[Signature]

Dr. Aniya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

Statutory Alert:

1. The authenticity of this Stamp certificate is guaranteed by the Government of India. Any discrepancy in the details on this Certificate is not the responsibility of the Government of India.
2. The duty of checking the authenticity is on the users of the Stamp certificate.
3. In case of any discrepancy please inform the Competent Authority.



BIOTIC WASTE SOLUTIONS PVT. LTD.

CIN No. : U74900DL2010PTC210239



+91-11-47528106 / 07
+91-9560896389



info@biotic.co.in
www.biotic.co.in



46-47, SSI Industrial Area,
G.T. Karnal Road, Delhi-110033

BY AND BETWEEN

BIOTIC WASTE SOLUTIONS PVT. LTD., having its office at 46-47, SSI Industrial Area, G.T. Karnal Road, Delhi-110033 (For short hereinafter referred to as 'Service Provider' or 'The First Party') through its Mr. Ankit Gupta, Marketing Head, duly authorized to enter into and sign this agreement for and on behalf of the Service Provider of the ONE PART.

AND

Batra Hospital & Medical Research having its operating office at 1, Tuglakabad Institutional Area, Near Saket Metro Station, Mehrauli Badarpur Road Tuglakabad, Delhi -110062, State - Delhi, PIN - 110062 (For Short hereinafter referred to as "Occupier/HCF" or The Second Party) through its Authorized Representative Dr./Ms./Mr Dr Amiya Kumar Verma the OTHER PART.

The expression of both the parties shall mean and include the parties, their respective legal heirs, successors, legal representatives, administrators, executors and assignees.


Whereas the Service Provider has been duly authorized by the Delhi Pollution Control Committee (DPCC) under Rule of 10 of the Bio-Medical Waste Management Rules 2016 for operating and providing facility for the Collection, Reception, Treatment, Storage, Transportation and disposal of the Bio- Medical Waste.

And whereas the Occupier in compliance of the Bio-Medical Waste Management Rules, 2016 desires to engage the Service Provider for rendering services towards disposal of their Bio-Medical Waste (except liquid chemical waste) for which the Service Provider is an authorized facility under DPCC and accordingly, after discussions and due negotiations taken place, both the parties are agreed to enter into this agreement on the terms and conditions narrated herein after:

NOW THIS AGREEMENT witnessed the following terms & conditions to be performed to by both parties to the present agreement.

1. That the Occupier will segregate, pack and label the bio-medical waste in the colour coded bags from the waste generation points as per guidelines of Bio-Medical Waste Management Rules 2016 and keep the said packed waste ready for collection by the staff of the Service Provider. The Service Provider will not collect any Bio-Medical waste which is not properly segregated and packed in accordance with guidelines of Bio-Medical Waste Management Rules 2016. The record of the collected waste shall be maintained by the Occupier with the acknowledgement signatures of the collection staff of the Service Provider to submit the Annual Report to the concerned Pollution Board in the prescribed format.
2. That the Occupier will deposit a refundable interest free security amount of Rs. 0 (only) (Refundable Security Deposit) against the BMW disposal services and if the HCF is closed before expiration of agreement, the Service Provider will refund the balance amount after adjusting all the dues, if any, outstanding towards the Occupier.
3. That the Service Provider will charge to the Occupier, being Hospital 50-500 Bedded as per the following schedule of rates:

a) Minimum Disposal Charges of Rs.88648 (Indian Rupees Eighty Eight Thousand Six Hundred Forty Eight only)/- plus tax Monthly Arrear for Hospital 50-500 Bedded (500 (Five Hundred) Bedded facility) subject to a maximum collection of waste up to Monthly Waste Limit of 0 kg. Extra quantity of waste will be chargeable @ Rs 0 per kg. Any tax, if any, in force shall be borne by the Occupier upon the respective billings.



Dr. Amiya Kumar Verma
Medical Superintendent

Batra Hospital & Medical Research Centre
1, Tuglakabad Institutional Area, M. B. Road,
New Delhi - 110062

Regn. No. DMC / R / 10758

Dr. Amiya Kumar Verma
Medical Superintendent

Batra Hospital & Medical Research Centre
1, Tuglakabad Institutional Area, M. B. Road,
New Delhi - 110062

Regn. No. DMC / R / 10758



Authorized by
Delhi Pollution Control Committee

Green Clean Process

Biotic follows all compliances under the Bio-medical waste handling rules 2016. As per the management.
Biotic helps you stay in full compliance regarding the disposal of your regulated waste - 110062

b) The Occupier shall pay one-time interest free non-refundable registration fees of Rs. 0 (only).

c) The rates enumerated in clause 3(a) above may be varied at any given point of time due to hike in Fuel Price, Wages for Labour negotiation with any unanimous body at District or State level or any other factor which may affect the cost.

4. That the Occupier undertakes to make the payment through 'NEFT/Digital payment, Account Payee Cheque or Demand Draft' in favour of the BIOTIC WASTE SOLUTIONS PVT. LTD on or before 15th day of each successive month and thereafter the interest @ 18% for p.a. shall be charged by the Service Provider if the payment is not made within the stipulated period. In case, any payment made through cheque is rejected by bank due to reasons on part of Occupier, a cheque bounce fee of Rs. 500/- (Rupees Five Hundred) shall be charged from the Occupier.

5. (a) Notwithstanding the aforesaid terms, this agreement may be terminated by either party by giving 30 days written notice. However, this requirement of 30 days' notice shall not be applicable in the event the service charges are not paid by the Second Party as provided in Clause 3 & 4 of this agreement or upon the occurrence of any of events specified in Clause 5b (i) & (ii) in which case the service would be suspended/terminated forthwith.

(b) Notwithstanding the aforesaid terms and conditions:

1. The Service Provider will be at liberty to discontinue this service to the Occupier in the event when the Occupier does not pay the service charges.

11. The Service Provider shall be at liberty to terminate this Agreement and discontinue Services to the Occupier in the event of the Non-Compliance of guidelines of the Bio-Medical Waste Management Rules 2016 during Segregation, Collection, Transportation and Disposal of the Bio-Medical Waste by the Occupier except due to the circumstances under force majeure clause and the circumstances beyond the control of the parties.

(c) That upon expiry of the term or the earlier termination of this agreement, the accounts shall be settled, and the refundable interest free security deposit referred to in Clause 2 above shall be returned thereon to the Occupier.

6. That all the taxes, such as GST if applicable, shall be paid and borne by the Occupier. With reference to the notification in 2025, GST shall be charged @ 5% for the clinical establishment and 18% for the non-clinical establishment entities.

7. The neither party shall transfer and /or assign the rights granted under this agreement without the prior intimation and written permission of the other party and without obtaining a written undertaking by the proposed assignee/transferee agreeing to assume all of the said party's obligations under this agreement and to abide by all the obligations and covenants contained herein.

8. That this agreement shall be governed by the laws of India and shall be interpreted and construed in accordance with the laws of India and subject to the jurisdiction of Courts at Delhi which shall have exclusive jurisdiction to try, entertain and dispose between the parties thereto. All the notices, requests, demands and other communications, required/permitted to be given under this Agreement shall be in writing.

9. That the Occupier should get from time to time the Service Contract Agreement renewed from the Service Provider one month before the expiry of the validity of the Agreement. The Occupier further undertakes to keep the validity period of the agreement for a minimum period of one year from the date of service as per pollution Control Committee /Board Rule and in between if the agreement is cancelled, they should directly intimate Pollution Control Committee/Board with adequate reason about the cancellation of the agreement, failing which, all the consequence and penalties will be borne by the Occupier.



Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

Further, the Occupier also undertakes to give one month notice in writing if they want to discontinue the service and wish to switch over to another Service Provider failing which, they have to pay the service charge equivalent to one-month minimum service charges to the service provider in lieu of one month notice period.

10. That in case the service contract agreement gets misplaced at the Occupier end, then an additional Rs.100/- will be charged from the Occupier for issuing the agreement once again.

11. That the Occupier further undertakes to sign every page of the agreement and return both copies of the agreement for Service Provider's signature and the Services Provider will return the duplicate signed copy of the agreement to the Occupier. On receipt of the agreement, the Occupier will submit a copy of the agreement with the date of service expiry to the Pollution Control Committee/Board.

12. The terms of this Agreement shall be in force from 1-Apr-26 to 31-Mar-27. If the Second Party intends to extend the period of this agreement, the Second Party shall make a request to the first party in Form A (annexed with the agreement) before the thirty days from the date of expiration of this agreement. It is hereby noted that approval of request of the second party shall be confirmed by the First Party in writing.

13. That in case there is any change in the constitution of Occupier, the same shall be informed forth with to the Service Provider.

14. That both the parties undertake to remain bound by the terms and conditions set out herein above.

15. Agreement NOT a Partnership: Nothing in this Agreement is intended to create, nor shall it be construed as creating, a partnership.

16. No amendments, supplements, waiver or modifications of the terms of this Agreement shall be valid unless evidenced in writing and signed by a duly authorized representative of each of the Parties hereto.

17. DISPUTE RESOLUTION

a. Amicable Resolution -

In the event of any dispute, disagreement, complaint or difference between the Parties, in respect of or concerning or connected with the interpretation or implementation or arising out of this Agreement or any Clause or provision hereof, or relating to the termination hereof (a "Dispute"), then such Dispute shall in the first instance be resolved amicably by both the parties.

In the event that the Parties are unable to mutually resolve the Dispute within 15 (Fifteen) Business Days of the Dispute being raised before either of the Parties referred to it, the same shall be referred to arbitration as stated below.

b. Arbitration

i. If any disputes/differences between the Parties are not resolved under Clause 17(a) above within the time period mentioned therein, then the same shall be referred to and finally resolved by arbitration of a sole arbitrator in accordance with the Indian Arbitration Act, 1996 for the time being in force. The First Party shall have the sole discretion and responsibility of appointing the arbitrator within a period of 60 days. The language of the arbitration shall be English.

ii. The Parties will continue to perform their respective obligations under the Agreement during the arbitration proceedings.

iii. The seat and venue of arbitration shall be at New Delhi & the local laws of New Delhi shall be applicable.



Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

KNOW YOUR CLIENT (KYC) APPLICATION FORM

(Please fill this form in ENGLISH and in BLOCK LETTERS)

A. IDENTITY DETAILS

1. HCF Name: Batra Hospital & Medical Research
2. HCF Address: 1, Tuglakabad Institutional Area, Near Saket Metro Station, Mehrauli Badarpur Road Tuglakabad, Delhi-110062, State - Delhi, PIN - 110062
3. Contact Name: Dr Amiya Kumar Verma
4. Email id:md_mdooffice@batrahospitaldelhi.org
5. Mobile No:9958290479
6. Landline No.:
7. PAN Number of facility: AAATC1551C
8. GST Number of facility: 07AAATC1551C1ZD
9. TAN No (If registered): (Mandatory if deduct TDS on service bill)
10. Signing Authority Pan No: AAATC1551C
11. Signing Authority Aadhar Number:
12. Bedded/ Non-Bedded: Hospital 50-500 Bedded No of Beds: 500 (Five Hundred)
13. PCB Authorization No: AF/14/08/2019/876 Valid Up to:
14. HCF Opening & Closing Business hours/days:

B. HCF BANK DETAILS

1. Bank Name:
2. Bank Account Number:
3. Bank IFSC Code:

DECLARATION

I hereby declare that the details furnished above are true and correct to the best of my knowledge and belief and I undertake to inform you of any changes therein, immediately. In case any of the above information is found to be false or untrue or misleading or misrepresenting, I am aware that I may be held liable for it.

Signature of the Applicant Date: (dd/mm/yyyy)

Note: Please fill the enclosed KYC form. Kindly attach one copy of Aadhar Card, PAN Card, GST Registration if applicable, PCB authorization and one passport size photograph of the authorized signatory.

Bank details are as follows:

Biotic Waste Solutions Pvt Ltd

Bank Name : HDFC Bank

A/c No. : 59206964372751

Branch & IFSC : SHALIMAR BAGH-II & HDFC0001940


Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tuglakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758


Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tuglakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

Date: 26th July, 2025**Circular**

Bio-Medical Waste management committee meeting will be held on 30th July, 2025 at 2:00 PM in room no. 201. All members or their representatives are requested to attend.

Agenda:

1. BMWM audit report by ICT
2. MOU with TSDF Bawana for collection of Chemical Hazardous waste.
3. Change in guidelines for:
 - a.) Pre-treatment of Lab waste and final disposal
 - b.) Storage of sharp waste.
4. Change of autoclave for pre-treatment of BMW.

Recapitulated

Neelam Khanna
Dr. Neelam Khanna, MD, MAMS
Sr. Consultant & Head Microbiology & Serology
Member Secretary, HICC

CC:-

- Dr. Amiya Verma - Medical Superintendent.
- Dr. Niranjana Rawat- DMS & Nodal Officer
- Dr. Renu Tyagi -Infection Control Officer
- Mrs. Rama Sharma - Chief Nursing Services
- Mr. S. Sangwan-~~Chief Engineer~~ Head Engg. *Sangwan*
- Mr. Sudhir Kumar Sharma – GM, HRD → *Sudhir*
- Mr. Girish – Housekeeping Incharge *Girish*
- Ms. Nirmala-Infection Control Nurse (ICN) *Nirmala*
- Ms. Manisha-Infection Control Nurse (ICN)

Amiya Verma
Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
 1, Tughlakabad Institutional Area, M. B. Road.
 New Delhi - 110062
 Regn. No. DMC / R / 10758

BATRA HOSPITAL & MEDICAL RESEARCH CENTRE

MEETING TITLE	:	BIOMEDICAL WASTE MANAGEMENT COMMITTEE MEETING		
DATE	:	30 TH JULY 2025		
START TIME	:	2 PM	END TIME	: 3 PM
LOCATION	:	ROOM NO. 201		
ATTENDED BY	:	DR. AMIYA VERMA, DR. KARTIKEY, DR. RENU TYAGI, DR HARPREET SAINI, MRS RAMA SHARMA, MR SUDHIR SHARMA, MR GIRISH CHANDER, MR SATVINDER SANGWAN, MS NIRMALA		
ABSENT	:	-		
QUORUM MET	:	YES		
MINUTES RECORDED BY	:			
LAST MEETING HELD ON	:			

AGENDA	DISCUSSION	PERSON RESPONSIBLE	TARGET TIME	REMARKS (IF ANY)
1. BMW Audit report	BMW audit done by infection control team was presented.. 1. Printed Labels on bags were not available and permanent marker was used to label on bags. 2. Exhaust placed improperly in the storage area.	1. Housekeeping incharge to ensure timely availability of labels 2. Chief engineer to ensure correct placement of exhaust		
2. Change in BMW guidelines	Lab waste is pre treated by autoclaving as before and all plastic waste from lab like plastic vacutainers with blood petri dishes, blood culture bottles etc after autoclaving are put in red bags and discarded for final disposal. All other highly infectious waste as stock cultures, media removed from culture plates and put in yellow bags and sent for final disposal by incineration.	Training by ICT to all handlers.		
3. MOU with TSDF for hazardous chemical waste	A discussion with authorized vendor for hazardous chemical waste situated in Bawana is on and will give them the details of chemicals as xylene and iso propyl alcohol from pathology labs for disposal.	ICT		


Dr. Amiya Kumar Verma
 Medical Superintendent
 Batra Hospital & Medical Research Centre
 1, Tughlakabad Institutional Area, M. B. Road,
 New Delhi - 110062
 Regn. No. DMC / R / 10758








Dr. Neelam Khanna,
 Member secretary, HICC & BMWM




BATRA HOSPITAL & MEDICAL RESEARCH CENTRE
OF CH. AISHI RAM BATRA PUBLIC CHARITABLE TRUST
1, Tughlakabad Institutional Area, Mehrauli Badarpur Road,
New Delhi - 110 062 Phone: 29958747

ATTENDANCE SHEET

TITLE	BMW committee meeting		
DATE & DAY	30 th July 2025	TIME	2 PM.
VENUE OF TRAINING / MEETING	Rm no. 201.		

S. NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
1.	16115	SUDHA KUMAR SHARMA	GM- HR	
2.	01092	DR. HARPREET SAINI	DM	
3.	08129	Satvinder Sangwan	Head Engg.	
4.		Dr. Neelam Khanna	Head lab med	
5.	59023	GURISH CHANIZOR	Housekeeping	
6.	01252	Dr. Amiya Verma	MS	
7.	31065	RAMA SHARMA	CAS	
8.	33715	Nishant Sahasr	ICU	
9.	01095	Dr. Karthik	DMS	
10.		Dr. Renu Tyagi	HICO	

DETAILS OF THE FACULTY	AGENDA		
TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
1) BMW Audit report	Dr. N. Khanna	member secretary	
2) MOU & TSDF for handling chemical hazardous waste			
3) change in guidelines - Pre & post labware & storage of sharps			
4) change of autoclave for Pre & post BMW			

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

HRD/AS/Rev.1.1/Nov.2024


Date: 15.12.2025

CIRCULAR

Hospital Infection Control Committee meeting will be held on 20th December 2025 at 2.00pm, in Room No. 201. All members or their representatives are requested to attend.

Agenda:

1. Presentation of HAI Surveillance data (November -2025)
2. Needle stick injuries –Prevention
3. BMW issues – Sharp containers & neutralizer for glutaraldehyde


Dr. Neelam Khanna, MD, MAMS
Sr. Consultant & Head Microbiology & Serology
Member Secretary, HICC

CC:-

Dr. Amiya Verma - MS
Dr. S.S. Arora
Dr. Pavan Gurha
Dr. V. Hangloo
Dr. D. Singh
Dr. P. Gulati
Dr. N. Gupta
Dr. S.K. Pandey
Dr. Renu Tyagi
Dr. Vyoma Singh
Mrs. Rama Sharma - CNS
Ms. Nirmala Salichan – ICN
Ms. Manisha Joshi – ICN
Ms. Ruchika - Clinical Pharmacologist
Dr. Harpreet Ahluwalia – Quality Head


Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

BATRA HOSPITAL & MEDICAL RESEARCH CENTRE

MEETING TITLE	:	HICC & BIOMEDICAL WASTE MANAGEMENT COMMITTEE MEETING		
DATE	:	20TH DECEMBER, 2025		
START TIME	:	2.00 PM	END TIME	: 3.00PM
LOCATION	:	ROOM NO. 201		
ATTENDED BY	:	DR. AMIYA VERMA, DR. NOMITA GUPTA, DR. S S ARORA, DR. KUMAR MANISH, DR. NITA JAIN, DR. VYOMA SINGH, DR. RENU TYAGI, MRS. RAMA SHARMA, MR. S. SANGWAN, DR. HARPREET SAINI MS NIRMALA SALICHAN, MS MANISHA JOSHI ,DR. NAVIN., DR. KARTIKEY , MR GIRISH. MR SUDHIR SHARMA.		
ABSENT	:	DR NIRANJAN RAWAT		
QUORUM MET	:	YES		
MINUTES RECORDED BY	:	DR. NEELAM KHANNA, MEMBER SECRETARY		
LAST MEETING HELD ON	:			

AGENDA	DISCUSSION	PERSON RESPONSIBLE	TARGET TIME	REMARKS (IF ANY)
Surveillance data	SSI: 1. Mrs N 28/F, Primigravida, underwent elective LSCS on 7.11.25 for Breech presentation & polyhydramnios . She had PPH and abdominal haematoma exploration was also done. Post operative she returned on 18.11.25 with stitch line serous discharge. Swab culture yielded Klebsiella spp. Regular dressings were done and started on oral faropenam. She improved 2. Mr. KP, 54 M Hypertensive, underwent emergency decompressive Craniotomy for Rt. Basal ganglia ICH. He was intubated in the Casualty for his low GCS and ventilated. Post op CT revealed Intra parenchymal bleed in the Rt. frontotemporo parietal and Rt ganglio capsular region. . He had Aspiration Pneumonitis and AKI. Pus culture from Craniotomy site yielded Acinetobacter spp. EVD was done subsequently on 6.12.25 . Culture of CSF grew Acinetobacter spp. This was a drug resistant strain. Multiple Antibiotics were given. 3. Mrs. HBM, 50F, was a case of Vault prolapse for 8 yrs. Underwent laparotomy with Vault suspension with adhesiolysis on 3.11.25 .Post operatively on 27.11.25 , Patient presented in OPD with local wound discharge. Culture yielded Yeast resembling candida spp. Antifungal Tab Fluconazole 200 mg ODx 21 days. She improved subsequently.	No risk factor identified. Hypertensive bleed Emergency surgery done Poor GCS E1M5VT Patient was malnourished with poor tissue strength and compromised hygiene.		


Dr. Amiya Kumar Verma
 Medical Superintendent
 Batra Hospital & Medical Research Centre
 Pughlakhabad Institutional Area, M. B. Road.
 New Delhi - 110062
 Regn. No. DMC / R / 10758

BATRA HOSPITAL & MEDICAL RESEARCH CENTRE

AGENDA	DISCUSSION	PERSON RESPONSIBLE	TARGET TIME	REMARKS (IF ANY)
	CLABSI: Mr J 77 M, admitted with right side ICH. Underwent Craniotomy on 8.11.25. Baseline blood culture was negative. He was having intermittent fever and increased TLC noted on 22.11.25. No Cultures were sent but CVP was changed. On 27.11.25, again an increase in TLC to 18000 was seen. Blood culture sent grew <i>Stenotrophomonas maltophilia</i> from both CVP and Peripheral blood culture Sensitive to levoflox, minocycline and co trimox. CVP was not removed immediately.	Multiple antibiotic use leading to Drug resistant HAI Care of CVP compromised.		
Needle stick injuries.	3 staff nurses got NSI – 2 during discard of sharps and one while assisting in procedure.	Reasons noted were inefficiency of new staff (5a and CTVS) in handling sharps. Third got accidental injury while assisting in the procedure in cath lab.	Training was provided to these staff	
BMWM Sharp puncture proof containers	1. All Sharps need to be sent for final disposal within 48 hours as per guidelines. It was decided that we shall get appropriate size puncture proof containers depending on amount of sharps being generated to change the containers.	Purchase and ICT		
Use of neutralizer for glutaraldehyde.	2. Use of neutralizer as glycine for Glutaraldehyde before final disposal in STP/ETP.	To train the users of glutaraldehyde		

Neelam Khanna

Dr. Neelam Khanna,

Member secretary, HICC & BMWM


Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
 1, Tughlakabad Institutional Area, M. B. Road.
 New Delhi - 110062
 Regn. No. DMC / R / 10758

ATTENDANCE SHEET

TITLE	HCC meeting & BMWY Committee meeting		
DATE & DAY	20 th Dec. 2025	TIME	2 PM - 3 PM
VENUE OF TRAINING / MEETING	Room 201 Block		

S. NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
1		Dr. Amiya Verma	ONS	Amiya
2		Dr. Neelam Khanna	Member Secretary HCC	Neelam Khanna
3				
4		Dr. SSARORA		SSARORA
5	31065	RAMA SHARMA	CNS	de
6		Dr. Renu Tyagi	HICO	Renu
7		Dr. N. Meeta Gupta	Para	R
8		Dr. Naren	Dr. MS. Meeta	Naren
9		Dr. Katikey	DMS	K
10		Dr. V. Manish (For Dr. Hargobind)	Consultant	Manish
11	01092	DR. HARPREET SAINI	DM	Harpreet Saini
12	08129	Satinder Sangwan	Engg	Sangwan
13		Dr. Vyoma Singh	Microbiology	Vyoma
		Manish	ICN	Manish
14	33633	Manish	ICN	Manish
15		Dr. NIT Jain	OBG.	NIT Jain
16	16115	Ms. Gauri K. Sharma	HR Head	Gauri
17		Ms. Gauri	Housekeeping Head	Gauri

DETAILS OF THE FACULTY

TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
1. HAI Surveillance	Dr. Renu Tyagi	HICO	
2. VCI Prevention	Dr. R. Tyagi		
3. BMWY - Sharp Containers & neutraliser for gutters	Dr. Neelam Khanna	Member Secretary HCC	

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

HRD/AS/Rav.1.1/Nov.2024

ATTENDANCE SHEET

(Housekeeping)

TITLE	Spillmanagement - Blood & body fluid spill, BMA		
DATE & DAY	12/07/2025	TIME	2 PM - protocol
VENUE OF TRAINING / MEETING	HIC deptt		

S. NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
1		Dada Nauchan		Dada Nauchan
2		Ravi		Ravi
3		Rajesh D		Rajesh D
4		Satish		Satish
5		Hari Narayan		Hari Narayan
6		Anamika		Anamika
7		Om Prakash		Om Prakash
8		Mal. A. Faruq		Mal. A. Faruq
9		Baby		Baby
10		Samra		Samra
11		Pooja		Pooja
12		Mahinder		Mahinder
13		Anandh		Anandh
14		Ranjana		Ranjana
15		Rajy		Rajy
16		Moula Sharma		Moula Sharma
17		Akash		Akash
18		Namish		Namish
19		Pooja		Pooja

DETAILS OF THE FACULTY

TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
	Shivam	Sub.	Shivam
Biochemical waste, Spillmanagement - blood & body fluid spillage kit code yellow.	Nirmala Salichan ICN		Nirmala

Dr. Amiya Kumar Verma
Medical Superintendent

Batra Hospital & Medical Research Centre

1, Tughlakabad Institutional Area, M. B. Road

New Delhi - 110062

Regn. No. DMC / R / 10758

HRD/AS/Rev.1.1/Nov.2024

ATTENDANCE SHEET

TITLE	H1c protocols (H. Hygiene, PPE, Bioarm)		
DATE & DAY	18/08/2025	TIME	
VENUE OF TRAINING / MEETING	Physio dept.		

S. NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
1.	28100	Dr. Ayushi Sharma	Physiotherapist	Ayushi
2.	28099	Dr. Asma Perveen	Physiotherapist	Asma
3.		Dr. Sushrta	Physiotherapist	Sushrta
4.		Naina Sabreen	physiotherapist	Naina
5.		Alpna Sheerin	Physiotherapist	Alpna Sheerin
6.		Bhavana Sisodia	Physiotherapist	Bhavana
7.		Yogita Sharma	Physiotherapist	Yogita
8.		Mahwish Kamal	Physiotherapist	Mahwish
9.		Akshat Singh	Physiotherapist	Akshat
10.		Rhythm Bansal	Physiotherapist	Rhythm
11.		Ankit Kumar	Physiotherapist	Ankit
12.		Mansaf Ali	Physiotherapist	Mansaf
13.		KARTIK S NAIR	Physiotherapist	Kartik
14.		MANISH	Physiotherapist	Manish
15.	28096	Komal	Physiotherapy	Komal
16.	28087	DR. SAHIL	Physiotherapist	Sahil
17.	28080	Dr. Chandra (PT)	Sr. Physiotherapist	Chandra
18.	28030	Dr. HIRANSHI (PT)	Dy Chief	Hiranshi

DETAILS OF THE FACULTY			
TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
	Dr. Renu Tyagi	H1c O	

Dr. Aniya Kumar Verma
Medical Superintendent

Batra Hospital & Medical Research Centre

1, Tughlakabad Institutional Area, M. B. Road.

New Delhi - 110062

Regn. No. DMC / R / 10758

HRD/AS/Rev.1.1/Nov.2024

ATTENDANCE SHEET

TITLE	Biomedical waste management		
DATE & DAY	19/11/2023	TIME	1 PM
VENUE OF TRAINING / MEETING	CNS office		

S.NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
1	35934	Shobnam Leela	40	Leela
2	CT422	ROBIN CHARAN	CCUB	Robin
3	35636	Omprakash Dhruv	BLVD CENTRE	Omprakash
4	33664	Anja Regina	CTW-114	Anja
5	36524	Anjana Thomas	MICU-I	Anjana
6	35928	Preeti	SC	Preeti
7	36498	Cyala S.	MICU I	Cyala
8	36520	Jomol J.J.	4A	Jomol
9	36441	Ankita Kumari	M. Casualty	Ankita
10	36301	Sakshi	4A	Sakshi
11	35888	Kalpana	4A	Kalpana
12	35845	Manisha	CCUB	Manisha
13	36409	Edlin	ACC	Edlin
14	36447	PANCHANBALA	3C+3D	Panchan
15	35362	Ranjana Kumari	4C	Ranjana
16	36281	Huskan	4A	Huskan

DETAILS OF THE FACULTY

TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
Segregation, Transportation, Final disposal, Entry of records, Usage of PPE	M. Smala Sobhan	ICN	MS

Dr. Ananya Kumar Verma
Medical Superintendent

Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758

HRD/AS/Rev.1.1/Nov.2024

ATTENDANCE SHEET

TITLE	Bm w/m		
DATE & DAY	19/11/2022	TIME	1 ^{pm}
VENUE OF TRAINING / MEETING	CNS office		

S.NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
17	36006	Rajali Cautam	3A	Rajali
18	36394	Preeti	3A	Preeti
19	36433	Ashwini A.J	4D	Ashwini
20	83597	KUMARI SUSATA	FREELANCE	Susata
21	35967	Sangita	Flw	Sangita
22	36532	VAISHALI	5A	Vaishali
23	36475	NAJISHA	SC	Najisha
24	36474	Teja Jain	2A	Teja
25	36400	Sulekha Fari	NBT	Sulekha
26	36397	Sneha Samal	W.B	Sneha
27	36102	Anshu	MEET	Anshu
28	35935	N. Binita	2A	N. Binita
29	36337	Kakali Jana	2A	Kakali
30	36461	Preety Nazem	NICU / PICU	Preety
31	36529	Sirila Xavier	NICU / PICU	Sirila
32	33403	Pooja Jenefer	CWB	Pooja

DETAILS OF THE FACULTY			
TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
	Nirmala Lalitha	ICN	NB

Dr. Ananya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062
Regn. No. DMC / R / 10758

HRD/AS/Rev.1.1/Nov.2024


ATTENDANCE SHEET

TITLE	Bm w/m		
DATE & DAY	19/11/2023	TIME	1 PM
VENUE OF TRAINING / MEETING	cns office		

S.NO.	EMPLOYEE ID	NAME	DESIGNATION & DEPARTMENT	SIGNATURE
33	36089	Avisla Lakka	UH	Avisla
34	36090	Jeeranti xaloo	schw	Jeeranti
35	CT-370	Mahesh	Main casualty	M
36	36549	Anchiya-c.	MICU-1	APB
37	35356	Thayam Karanbala	SICU	Karanb
38	36457	DAYA	HIC	
39	36381	Alha Sharma	IC + G	Alha
40	36872	Shilpa	IC + G	Shilpa
41	36456	Rosy	MICU II	Rosy
42	36205	Heena	IC	Heena
43	36000	Shobha	Analysis	Shobha
44	36386	Mahima	IC	Mahima
45	36143	Felley	Nicu/plu	Felley
5	36344	Shikha	SA	Shikha
6	36434	Somy	SA	Somy
	36511	Akhila	MICU 2	Akhila

DETAILS OF THE FACULTY			
TOPIC OF TRAINING	NAME	DESIGNATION	SIGNATURE
	Nirmala Sathekar	ICN	NS

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758



HRD/AS/Rev.1.1/Nov.2024



Needle Stick Injuries & Blood / Body Fluid Exposure (January- December, 2025)

Category	Jan	Feb	Mar	April	May	June	July	Aug	Sep	Oct	Nov	Dec	Total
Doctors	-	-	-	-	-	-	2	2	-	-	-	-	4
Staff Nurse	1	1	1	-	-	-	-	-	1	-	3	4	11
Nursing Student	-	1	-	-	-	-	-	1	-	-	-	-	2
Saintary Worker	-	-	-	-	-	-	-	-	-	-	-	-	0
Technician	-	-	-	1	-	1	-	-	-	-	-	-	2
Nursing Aid	-	-	1	-	-	-	-	-	-	-	-	-	1
Laundry Worker	-	-	-	-	-	-	-	-	-	-	-	-	0
Total	1	2	2	1	0	1	2	3	1	0	3	4	20

Source status :-

Known positive = HBsAg +ve (1), HCV+ve (2), HIV+ve (3)

Sero negative = 12

Unknown = 2

Cause of Injury :-

While doing ABG sampling = 2

While discarding sharps = 4

While assisting in cannulation = 2

While drawing sample = 2

During arterial line insertion = 1

During recapping = 1

During IV cannulation = 1

While suturing = 1

While assisting suturing = 1

While assisting in blood sample collection = 1

While assisting in a procedure = 2

Splash = 1

Other = 1

Contaminated sharp injury: 19/20 (95%)

Blood & Body fluid exposure: 1/20 (5%)

PEP given: 3 (ART)

Sero conversion: Zero till date

HCW Status:

Hep B vaccinated: 19/20 (95%)

Hep B vaccination on going: 1/20 (5%)

Neelam Khanna

Dr. Amiya Kumar Verma
Medical Superintendent
 Batra Hospital & Medical Research Centre
 1/ Tughlakabad Institutional Area, M. B. Road.
 New Delhi - 110062
 Regn. No. DMC / R / 10758

Dr. Neelam Khanna, MD
Sr. Consultant, Microbiology
Member Secretary, HICC



AES LABORATORIES

analyzing today for an assured tomorrow.....



TC 6308



AES Laboratories Private Limited

B 118 Phase 2, Noida, Uttar Pradesh 201305

Ph: 0120-4646700, 4646711, 4646731, 4646714

email: support@aeslabs.com. Web: www.aeslabs.com

TEST CERTIFICATE

Annexure-1

Issued To : Batra Hospital And Medical Research Centre
1, Tughalkabad Institutional Area,
M B Road, Sangam Vihar
Delhi, Delhi - 110062

Report No: 12-100725-02
Report Date: 18/07/2025
Sample Received On : 10/07/2025
Sampled By: AES Labs (SM 1.4)

Description : ETP Outlet Water , Sample Qty.: Approx. 5 Ltr in Plastic Can

Analysis Start Date : 10/07/2025
Analysis End Date : 18/07/2025

Page 1 of 1

RESULTS

S.No.	Parameter	Test Method	Results	Units	Limits
Chemical					
Pollution & Environment					
Chemical Analysis					
1	Biochemical Oxygen Demand (3 Days at 27 deg. C)	IS 3025 (Pt-44) : 1993	4	mg/l	Max 30
2	Chemical Oxygen Demand (COD)	IS 3025 (Pt-58) : 2006	30	mg/l	Max 250
3	Oil & Grease	IS 3025 (Pt-39) : 2021	BLQ (<1)	mg/l	Max 10
4	pH value at 25°C	IS 3025 (Pt-11) : 1983	7.02	-	5.5-9.0
5	Total Suspended Solids (TSS)	IS 3025 (Pt-17) : 1984	32	mg/l	Max 100
6	Bioassay	IS 6582 : 1971	90 % Survival of fish after 96 hours	%	

Remarks: The tested sample conforms to the above mentioned specification. The conformity decisions are based on guard banded acceptance limits calculated based on the expanded uncertainty of the result (Decision Rule LM 7.8.1). The decision has a confidence level of approximately 95 %, with an error probability of approximately 5%.

Note(s): BLQ means Below Limit of Quantification. The values enclosed in brackets are the limit of Quantification of the mentioned test method.
The above remarks are computer generated.



Verify

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road.
New Delhi - 110062

Regn. No. DMC / R / 10754



AUTHORISED SIGNATORY

NOTE: The results indicated only refer to the tested samples and listed parameters and do not endorse any product | Total liability of the laboratory is limited to the invoiced amount | This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory | Samples received shall be destroyed after four weeks from the date of issue of the certificate unless specified otherwise | This certificate shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory.

AES/QCD/F-7.8-1



AES LABORATORIES

analyzing today for an assured tomorrow.....



TC 6308



AES Laboratories Private Limited

B 118 Phase 2, Noida, Uttar Pradesh 201305

Ph: 0120-4646700, 4646711, 4646731, 4646714

email: support@aeslabs.com. Web: www.aeslabs.com

TEST CERTIFICATE

Issued To : Batra Hospital And Medical Research Centre
1, Tughlakabad Institutional Area,
M B Road, Sangam Vihar
Delhi, Delhi - 110062

Report No: 12-100725-01
Report Date: 18/07/2025
Sample Received On : 10/07/2025
Sampled By: AES Labs (SM 1.4)

Description : STP Outlet Water , Sample Qty.: Approx. 5 Ltr in Plastic Can

Analysis Start Date : 10/07/2025
Analysis End Date : 18/07/2025

Page 1 of 1

RESULTS

S.No.	Parameter	Test Method	Results	Units	Limits as per CPCB
Chemical					
Pollution & Environment					
Chemical Analysis					
1	Bioassay	IS 6582 : 1971	90 % Survival of fish after 96 hours	%	90% Survival of fish after 96 hours in 100 % effluent
2	Biochemical Oxygen Demand (3 Days at 27 deg. C)	IS 3025 (Pt-44) : 1993	8.0	mg/l	Max 30
3	Chemical Oxygen Demand (COD)	IS 3025 (Pt-58) : 2006	50	mg/l	Max 250
4	Oil & Grease	IS 3025 (Pt-39) : 2021	BLQ (<1)	mg/l	Max 10
5	pH value at 25°C	IS 3025 (Pt-11) : 1983	7.08	-	6.5-9.0
6	Total Suspended Solids (TSS)	IS 3025 (Pt-17) : 1984	21	mg/l	Max 100

Remarks: The tested sample conforms to the above mentioned specification. The conformity decisions are based on guard banded acceptance limits calculated based on the expanded uncertainty of the result (Decision Rule LM 7.8.1). The decision has a confidence level of approximately 95 %, with an error probability of approximately 5%.

Note(s): BLQ means Below Limit of Quantification. The values enclosed in brackets are the limit of Quantification of the mentioned test method.
The above remarks are computer generated.



eVerify

Dr. Amiya Kumar Verma
Medical Superintendent
Batra Hospital & Medical Research Centre
1, Tughlakabad Institutional Area, M. B. Road,
New Delhi - 110062
Regn. No. DMC / R / 10758



AUTHORISED SIGNATORY

NOTE: The results indicated only refer to the tested samples and listed parameters and do not endorse any product | Total liability of the laboratory is limited to the invoiced amount | This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory | Samples received shall be destroyed after four weeks from the date of issue of the certificate unless specified otherwise | This certificate shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory.

AES/QCD/F-7.8-1